

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

6209

W. B. CLARKE & SON

SAN JOSE, CALIFORNIA



P. O. Box 343

December 1, 1930

LIST 3020

COVERING STOCK
OFFERED BY




Phone
Ballard 1776

CLARKE NURSERY CO.

SAN JOSE, CALIF.

SEASON 1930-1931



All summer quotations not accepted to date are hereby cancelled.

Terms. To buyers of known or established credit, 60 days from date of invoice. Otherwise cash with order or 25% with order, balance C. O. D.

Grading. Plants that are wider than they are tall are graded by width.

Quantities. Five or more plants of one kind and size will be supplied at 10 rate; 50 or more at 100 rate; 500 or more at 1000 rate.

Pots. Prices on pot grown stock do not include the pots and unless otherwise instructed plants will be removed from pots before shipping. If wanted in the pots they will be charged for at cost, but can be returned if desired and credit will be given.

Packing. Will be charged for at cost as usual, including paper pots if used. Plants will be packed to secure lowest possible freight classification consistent with the nature of goods shipped. All prices are at our nursery unless otherwise stated.

Shipping. Our responsibility ceases when goods are delivered to transportation company in good order. They travel at buyer's risk. Please state distinctly whether you wish goods shipped by freight or express and where water shipment is possible be sure to specify by water or rail as you may prefer.

Nomenclature. Plant names, both botanical and common, have been revised to conform with 1923 edition of "Standardized Plant Names," with the addition of a few common names widely used on the Pacific Coast.

This list covers items of which we now have a fairly good supply unsold. Many other things can be furnished in moderate quantities and quotations will be made on request. So if you want any ornamental stock not listed here write us about it.

This list is for the trade only and all prices are strictly net. Landscape Architects and Landscape Gardeners who are not actual nurserymen will be charged 20% in addition to the rates quoted herein.

Both firms are members of

CALIFORNIA ASSOCIATION OF NURSERYMEN

Novelties and Scarce Items

Special attention is called to the following interesting lines. Sizes, prices and descriptions are given in the corresponding divisions of this list.

CONIFERS

CALLITRIS quadrivalvis
CEDRUS atlantica glauca
CEDRUS deodara repandens
CHAMAECYPARIS lawsoniana stewarti
CHAMAECYPARIS lawsoniana wisseli
CHAMAECYPARIS nootkatensis glauca
CUPRESSUS glabra stricta
CUPRESSUS Silverspray Weeping
JUNIPERUS squamata meyeri
PINUS tanyosho globosa

BROAD LEAVED EVERGREENS

ARBUTUS menziesi (Madrone)
BERBERIS knighti
BERBERIS verruculosa
CAMELLIA, Named Varieties
CEANOTHUS cyaneus
COTONEASTER apiculata
COTONEASTER praecox
COTONEASTER pyrenaica
COTONEASTER Standards (in variety)
CYTISUS scoparius andreanus
DAPHNE, Pink
MICHELIA (Magnolia) fuscata
RHODODENDRON Pink Pearl
RHODODENDRON Hybrids Assorted
SPARTIUM junceum nanum
STRANVAESIA davidiana
TEMPLETONIA retusa
VIBURNUM rhytidophyllum

FLOWERING FRUIT TREES

CHERRIES, Japanese Erect
CHERRIES, Japanese Weeping
PEACH, San Jose Pink
PLUM blirieana

DECIDUOUS TREES

CRATAEGUS pinnatifida major
KOELREUTERIA integrifolia
POPULUS tremula pendula
SORBUS aucuparia pendula

DECIDUOUS SHRUBS

SYRINGA, Lilac Novelties

CLIMBERS

WISTERIA floribunda violacea plena
WISTERIA multijuga longissima
WISTERIA multijuga rosea
WISTERIA Standards

MISCELLANEOUS

HESPEROYUCCA whipplei

Lining Out Stock

We offer many items in small sizes for growing on. They are not listed separately but will be found at the end of each item if any stock is available for that purpose.

Abbreviations

It is important for buyers to know whether they are getting seedlings or cuttings, etc., so for every item we have shown how propagated using the following abbreviations:

C—cuttings
G—grafted

S—seedlings
B—budded

CONIFERS

Unless otherwise stated all plants in this section will be balled at prices quoted.

NOTE—A large proportion of our conifers are grafted on seedling roots which gives them a far better root system than when grown from cuttings.

| | each rate | 10 rate | 100 rate |
|--|--------------|------------|-------------|
| ABIES concolor, WHITE FIR | | | |
| 3 to 4 ft. S | \$2.50 | \$2.00 | |
| 2½ to 3 ft. S | 2.00 | 1.75 | |
| ARAUCARIA bidwilli, BUNYA-BUNYA | | | |
| 3 in. pot, 8 to 10 in. S | .50 | .40 | .35 |
| imbricata, MONKEYPUZZLE | | | |
| 5 in. pot, 9 to 12 in. S | 1.25 | .85 | .75 |
| 5 in. pot, 6 to 9 in. S | 1.00 | .75 | .60 |
| CALLITRIS quadrivalvis, ARAR-TREE | | | |
| Syn. Tetraclinis articulata. A handsome Cypress-like tree from Northern Africa. Thrives well in California. | | | |
| 4 in. pot, 1 to 1½ ft. S | .60 | .40 | .35 |
| 4 in. pot, 8 to 12 in. S | .50 | .35 | .30 |
| CEDRUS atlantica, ATLAS CEDAR | | | |
| 5 to 6 ft. S | 3.00 | 2.25 | |
| 4 to 5 ft. S | 2.50 | 2.00 | |
| 3 to 4 ft. S | 2.25 | 1.75 | 1.50 |
| atlantica glauca, BLUE ATLAS CEDAR | | | |
| Intensely silvery blue foliage. A far better tree for California in every way than Colorado Blue Spruce and will make a splendid showing in half the time. | | | |
| 1 to 1½ ft. G | 1.00 | .85 | .75 |
| CEDRUS deodara, DEODAR | | | |
| The favorite "Outdoor Christmas Tree." In heavy demand for that purpose. Note very low prices on large sizes to clean up a block this year. | | | |
| 14 to 16 ft. S | 10.00 | 8.00 | |
| 12 to 14 ft. S | 8.50 | 7.00 | 6.00 |
| 10 to 12 ft. S | 7.00 | 6.00 | 5.00 |
| 8 to 10 ft. S | 6.00 | 5.00 | 4.50 |
| 5 to 6 ft. S | 3.00 | 2.50 | 2.25 |
| 4 to 5 ft. S | 2.75 | 2.25 | 2.00 |
| 3 to 4 ft. S | 2.50 | 2.00 | 1.75 |
| 4 in. pot, 1½ to 2 ft. S | .65 | .50 | .40 |
| deodara repandens | | | |
| Habit strongly weeping or almost prostrate, plants offered have been staked. | | | |
| 2 to 2½ ft. G | 2.00 | 1.50 | |
| 1½ to 2 ft. G | 1.50 | 1.25 | |
| libani, CEDAR OF LEBANON | | | |
| 5 to 6 ft. S | 3.50 | 2.75 | |
| 4 to 5 ft. S | 2.75 | 2.00 | |
| 3 to 4 ft. S | 2.25 | 1.75 | 1.50 |
| 2 to 3 ft. S | 1.75 | 1.25 | 1.00 |
| 1½ to 2 ft. S | 1.50 | 1.00 | |
| CHAMAECYPARIS lawsoniana alumi | | | |
| SCARAB CYPRESS | | | |
| Growth erect, almost columnar. Foliage silvery blue. | | | |
| 3 to 3½ ft. G | 3.00 | 2.50 | |
| 2½ to 3 ft. G | 2.25 | 1.75 | 1.60 |
| 2 to 2½ ft. G | 2.00 | 1.50 | 1.35 |
| 1½ to 2 ft. G | 1.50 | 1.00 | .85 |
| 1 to 1½ ft. G | 1.00 | .75 | .60 |
| lawsoniana elegans | | | |
| Strongly variegated with creamy white. | | | |
| 5 in. pot, 8 to 12 in. G | .75 | .60 | |
| lawsoniana erecta viridis | | | |
| GREEN COLUMN CYPRESS | | | |
| Growth erect and columnar. Foliage unusually rich green. | | | |
| 4 to 4½ ft. G | 4.00 | 3.00 | |
| 3½ to 4 ft. G | 3.00 | 2.50 | 2.00 |
| 3 to 3½ ft. G | 2.50 | 2.00 | 1.75 |
| 2½ to 3 ft. G | 2.25 | 1.75 | 1.50 |
| 2 to 2½ ft. G | 2.00 | 1.40 | 1.25 |
| 1½ to 2 ft. G | 1.75 | 1.25 | 1.00 |

| CHAMAECYPARIS (Continued) | | each rate | 10 rate | 100 rate |
|--|----------------------|--------------|------------|-------------|
| lawsoniana globosa | | | | |
| Extremely dwarf. Excellent for Japanese and rock gardens. | | | | |
| 4 | to 6 in. G | 1.00 | .75 | |
| lawsoniana minima | | | | |
| Much like preceding. Equally dwarf. | | | | |
| 4 | to 6 in. G | 1.00 | .75 | |
| lawsoniana nidiformis | | | | |
| BIRD NEST CYPRESS | | | | |
| Often called "nidifera." Growth almost prostrate and nest-shaped. | | | | |
| 15 | to 18 in. C | 1.50 | 1.25 | |
| lawsoniana pendula | | | | |
| WEeping LAWSON CYPRESS | | | | |
| A beautiful and rare form. Branches droop strongly. Graceful. | | | | |
| 3 | to 4 ft. G | 3.00 | 2.50 | |
| lawsoniana Silver Queen | | | | |
| Much like ordinary Lawson Cypress but more compact and foliage has a rich green color only slightly silvery. | | | | |
| 6 | to 7 ft. G | 4.00 | 3.50 | |
| 5 | to 6 ft. G | 3.00 | 2.50 | |
| 4 | to 5 ft. G | 2.50 | 2.00 | |
| 3 | to 4 ft. G | 2.25 | 1.75 | |
| 2 | to 3 ft. G | 2.00 | 1.50 | |
| lawsoniana stewarti | | | | |
| One of the very best trees we grow. Entirely golden hued. The color holds throughout the year and in winter when Golden Arbor Vitae turn green, this golden color of Stewarti is at its brightest. | | | | |
| 2 ½ | to 3 ft. G | 3.00 | 2.25 | 2.00 |
| 2 | to 2 ½ ft. G | 2.50 | 1.75 | 1.50 |
| 1 ½ | to 2 ft. G | 2.00 | 1.50 | 1.25 |
| 1 | to 1 ½ ft. G | 1.50 | 1.25 | 1.00 |
| lawsoniana Triomphe de Boskoop | | | | |
| Growth erect and bushy. Very silvery. | | | | |
| 2 | to 3 ft. G | 2.00 | 1.50 | |
| 1 ½ | to 2 ft. G | 1.50 | 1.25 | |
| lawsoniana wisseli, WISSEL CYPRESS | | | | |
| Growth narrow and erect. Foliage moss-like. Color very rich, metallic sage or silvery green. Rare and beautiful. | | | | |
| 3 | to 3 ½ ft. G | 4.00 | 3.00 | |
| 2 ½ | to 3 ft. G | 3.00 | 2.50 | 2.25 |
| 2 | to 2 ½ ft. G | 2.50 | 2.00 | 1.75 |
| 1 ½ | to 2 ft. G | 2.00 | 1.50 | |
| nootkatensis glauca | | | | |
| SILVER NOOTKA CYPRESS | | | | |
| Growth erect and branching. Foliage silvery. Very rare. | | | | |
| 2 | to 2 ½ ft. G | 2.50 | 2.00 | |
| 1 ½ | to 2 ft. G | 2.00 | 1.50 | |
| obtusa, HINOKI CYPRESS | | | | |
| 5 | to 6 ft. S | 4.00 | 3.50 | |
| 4 | to 5 ft. S | 3.00 | 2.50 | |
| 3 | to 4 ft. S | 2.50 | 2.00 | |
| 2 | to 3 ft. S | 2.00 | 1.50 | |
| pisifera aurea | | | | |
| GOLDEN SAWARA RETINOSPORA | | | | |
| Very graceful habit. Foliage fine. Golden color holds well all year. | | | | |
| 3 | to 4 ft. G | 3.00 | 2.50 | |
| 2 | to 3 ft. G | 2.00 | 1.50 | |
| 1 ½ | to 2 ft. G | 1.50 | 1.25 | |
| CRYPTOMERIA japonica | | | | |
| COMMON CRYPTOMERIA | | | | |
| 4 in. pot, | 1 ½ to 2 ft. S | .50 | .35 | |
| 4 in. pot, | 1 to 1 ½ ft. S | .40 | .30 | .25 |
| japonica elegans, PLUME CRYPTOMERIA | | | | |
| 4 in. pot, | 1 ½ to 2 ft. C | .65 | .50 | |

| | each rate | 10 rate | 100 rate |
|---|--------------|------------|-------------|
| CUPRESSUS arizonica, ARIZONA CYPRESS | | | |
| gal. can 5 to 6 ft. S | 1.00 | .60 | .50 |
| gal. can 4 to 5 ft. S | .75 | .50 | .40 |
| sp. F. P. I. 56305 | | | |
| A very fine-leaved Cypress introduced from China by U. S. Dept. of Agriculture. Makes a tall tree with stout trunk. Thrives well here and probably very hardy. | | | |
| 5 in. pot, 2 to 3 ft. G | .75 | .60 | .50 |
| glabra stricta, BLUE ITALIAN CYPRESS | | | |
| Form exactly like Italian Cypress but foliage is bright silvery blue. Originated here as a chance seedling. | | | |
| 7 to 8 ft. G | 4.00 | 2.50 | 2.00 |
| 6 to 7 ft. G | 3.00 | 2.25 | 1.75 |
| 5 in. pot, 2 to 3 ft. G | 1.00 | .75 | .60 |
| 4 and 5 in. pot, 1½ to 2 ft. G | .75 | .60 | .50 |
| 4 in. pot, 1 to 1½ ft. G | .65 | .50 | .40 |
| macnabiana, MACNAB CYPRESS | | | |
| gal. can, 4 to 5 ft. S | .75 | .60 | .50 |
| macrocarpa, MONTEREY CYPRESS | | | |
| gal. can, 5 to 6 ft. S | 1.00 | .75 | |
| 2 in. pot, 4 to 6 in. S | .15 | .10 | .08 |
| sempervirens stricta | | | |
| COLUMNAR ITALIAN CYPRESS | | | |
| We grow only seedlings and have used the same seed for years. It comes from four isolated trees of perfect form over 50 ft. tall. Selected plants are dug early and thoroughly established before shipping. | | | |
| 10 to 12 ft. S | 7.50 | 5.00 | |
| 8 to 10 ft. S | 5.00 | 3.50 | |
| 7 to 8 ft. S | 4.00 | 2.50 | |
| 6 to 7 ft. S | 2.50 | 1.75 | |
| 5 to 6 ft. S | 2.00 | 1.50 | |
| 4 to 5 ft. S | 1.50 | 1.25 | 1.00 |
| 3 to 4 ft. S | 1.25 | 1.00 | .75 |
| 4 in. pot, 2 to 3 ft. S | .60 | .40 | .35 |
| 4 in. pot, 1½ to 2 ft. S | .40 | .30 | .25 |
| sp., SILVERSPRAY WEEPING CYPRESS | | | |
| Species unknown. Growth decidedly drooping. Foliage silvery. Mass effect very beautiful as it attains age. | | | |
| 2 to 3 ft. G | 1.50 | 1.25 | |
| 1½ to 2 ft. G | 1.25 | 1.00 | |
| 5 in. pot, 15 to 18 in. G | .75 | .60 | |
| 4 in. pot, 10 to 12 in. G | .50 | .40 | .35 |
| JUNIPERUS chinensis albo-variegata, WHITELEAF CHINESE JUNIPER | | | |
| 4 in. pot, 4 to 6 in. G | .65 | .50 | .40 |
| chinensis columnaris | | | |
| COLUMNAR CHINESE JUNIPER | | | |
| A variety introduced by U. S. Dept. of Agriculture. Growth narrow and erect like Irish Juniper but a far better tree. Foliage silvery. | | | |
| 5 to 6 ft. G | 5.00 | 4.00 | |
| 4 to 5 ft. G | 4.00 | 3.00 | |
| 3 to 4 ft. G | 3.00 | 2.00 | |
| 2 to 3 ft. G | 2.00 | 1.50 | 1.25 |
| 1½ to 2 ft. G | 1.75 | 1.25 | 1.00 |
| 1 to 1½ ft. G | 1.50 | 1.00 | .75 |
| chinensis pfitzeriana, PFITZER JUNIPER | | | |
| Growth prostrate like the better known J. Kosteriana but more feathery and graceful. Silvery green. | | | |
| 4 to 5 ft. G | 5.00 | 3.50 | |
| 3 to 4 ft. G | 3.00 | 2.50 | |
| 2 to 3 ft. G | 2.50 | 2.00 | |
| 1½ to 2 ft. G | 2.00 | 1.50 | |
| Gal. can, 2 to 3 ft. C | 1.50 | 1.25 | |
| communis hibernica, IRISH JUNIPER | | | |
| 4 in. pot, 8 to 10 in. G | .60 | .40 | .35 |
| 4 in. pot, 6 to 8 in. G | .50 | .35 | .30 |
| excelsa stricta, SPINY GREEK JUNIPER | | | |
| 15 to 18 in. G | 1.50 | 1.00 | |
| 12 to 15 in. G | 1.00 | .75 | |
| 4 in. pot, 4 to 6 in. | .75 | .50 | .40 |

| JUNIPERUS (Continued) | | each rate | 10 rate | 100 rate |
|--|--|--------------|------------|-------------|
| <i>japonica</i> (<i>chinensis procumbens</i>) | | | | |
| JAPANESE CREEPING JUNIPER | | | | |
| 3 to 4 ft..... | | 3.50 | 3.00 | |
| Gal. can, 1 to 1½ ft. C | | 1.00 | .75 | |
| 4 in. pot, 6 to 8 in. G | | .75 | .50 | .40 |
| 4 in. pot, 4 to 6 in. G | | .65 | .40 | .35 |
| <i>japonica albo-variegata</i> | | | | |
| A variety of Chinese Creeping Juniper with white variegation. Scarce. | | | | |
| 8 to 12 in. G | | 1.25 | 1.00 | |
| 4 in. pot, 6 to 8 in. G | | .75 | .60 | .50 |
| <i>japonica aureo-variegata</i> | | | | |
| A variety of Chinese Creeping Juniper with yellow variegation. Scarce. | | | | |
| 8 to 12 in. G | | 1.25 | 1.00 | |
| 4 in. pot, 4 to 6 in. G | | .75 | .60 | .50 |
| <i>procera</i> | | | | |
| 5 in. pot, 1½ to 2 ft. G | | 1.00 | .75 | |
| <i>sabina prostrata</i> , PROSTRATE SAVIN | | | | |
| 4 to 5 ft. G | | 5.00 | 4.00 | |
| <i>squamata meyeri</i> , MEYER JUNIPER | | | | |
| Growth low, slow and irregular. Ideal for rockeries, pools and Japanese Gardens. Foliage intense silvery blue. Among the best novelties in years. Very scarce. | | | | |
| 10 to 12 in. G | | 1.50 | 1.25 | |
| 8 to 10 in. G | | 1.25 | 1.00 | |
| 6 to 8 in. G | | 1.00 | .85 | |
| <i>virginiana kosteriana</i> | | | | |
| KOSTER REDCEDAR | | | | |
| Growth flat and spreading, the branches making long pointed sprays. Slightly silvery. | | | | |
| 1½ to 2 ft. G | | 2.00 | 1.50 | |
| 1 to 1½ ft. G | | 1.25 | 1.00 | |
| sp. Silver Variegated Spreading | | | | |
| An unidentified variety distinct from <i>J. japonica albo-variegata</i> . | | | | |
| 8 to 12 in. G | | 1.25 | 1.00 | |
| sp. Wilson's Weeping Juniper | | | | |
| This is probably a form of <i>J. chinensis sargentii</i> with strongly arching branches. Habit a picture of grace. Main growth erect but branches droop toward tips. Color soft sage green, very slightly silvery. A beauty. | | | | |
| 1½ to 2 ft. G | | 2.00 | 1.50 | |
| 1 to 1½ ft. G | | 1.50 | 1.00 | |
| LIBOCEDRUS decurrens | | | | |
| CALIFORNIA INCENSE-CENDAR | | | | |
| 1½ to 2 ft. S | | 1.25 | 1.00 | |
| 1 to 1½ ft. S | | 1.00 | .75 | |
| 5 in. pot, 1½ to 2 ft. S | | .75 | .60 | |
| 5 in. pot, 1 to 1½ ft. S | | .60 | .50 | .40 |
| PICEA engelmanni, ENGELMANN SPRUCE | | | | |
| Very similar to Colorado Spruce (<i>P. pungens</i>) but with softer foliage. Varies from green to bluish green. | | | | |
| 4 in. pot, 8 to 12 in. S | | .50 | .35 | .30 |
| 4 in. pot, 6 to 8 in. S | | .40 | .30 | .25 |
| <i>pungens</i> , COLORADO SPRUCE | | | | |
| 2½ to 3 ft. S | | 2.50 | 2.00 | |
| 1½ to 2 ft. S | | 1.50 | 1.25 | 1.00 |
| 4 in. pot, 6 to 10 in. S | | .50 | .35 | .30 |
| PINUS armandi, ARMAND PINE | | | | |
| 4 to 6 ft. S | | 2.50 | 2.00 | |
| 3 to 4 ft. S | | 2.00 | 1.50 | |
| <i>canariensis</i> , CANARY PINE | | | | |
| 4 to 6 ft. S | | 2.50 | 2.00 | |
| 3 to 4 ft. S | | 2.00 | 1.50 | |
| 4 in. pot, 1½ to 2 ft. S | | .50 | .35 | .30 |
| 4 in. pot, 1 to 1½ ft. S | | .40 | .30 | .25 |
| 2½ in. pot, 3 to 4 in. S | | .15 | .10 | .08 |
| <i>pinea</i> , ITALIAN STONE PINE | | | | |
| 4 in. pot, 1½ to 2 ft. S | | .50 | .40 | .35 |
| <i>ponderosa</i> , WESTERN YELLOW PINE | | | | |
| 5 in. pot, 1½ to 2 ft. S | | .50 | .40 | |
| 5 in. pot, 1 to 1½ ft. S | | .40 | .30 | |

| PINUS (Continued) | | each rate | 10 rate | 100 rate |
|--|-------------|--------------|------------|-------------|
| radiata, MONTEREY PINE | | | | |
| 4 in. pot, 2 | to 3 ft. S | .60 | .40 | .35 |
| 4 in. pot, 1½ | to 2 ft. S | .50 | .35 | .30 |
| 4 in. pot, 1 | to 1½ ft. S | .40 | .30 | .25 |
| 3 in. pot, 2 | to 3 ft. S | .40 | .30 | .25 |
| 3 in. pot, 1½ | to 2 ft. S | .35 | .25 | .20 |
| tanyosho globosa, JAPANESE TABLE PINE | | | | |
| Makes a short trunk only a foot or two tall and then branches profusely into a dense rounded head. In great demand for rockeries and Japanese Gardens. | | | | |
| 3 in. pot, 6 to 10 in. | S | .40 | .30 | .25 |
| PODOCARPUS elongatus, FERN PINE | | | | |
| 4 in. pot, 1½ | to 2 ft. C | .75 | .50 | |
| 4 in. pot, 1 | to 1½ ft. C | .60 | .40 | |
| macrophylla, YEW PODOCARPUS | | | | |
| 4 in. pot, 1½ | to 2 ft. S | .75 | .60 | |
| PSEUDOTSUGA douglasi, DOUGLAS FIR | | | | |
| 4 in. pot, 1 | to 1½ ft. S | .50 | .35 | .30 |
| SEQUOIA gigantea, GIANT SEQUOIA | | | | |
| 2½ | to 3 ft. S | 2.50 | 2.00 | |
| 2 | to 2½ ft. S | 2.00 | 1.50 | |
| 4 and 5 in. pot, 1 | to 1½ ft. S | .75 | .60 | .50 |
| 4 in. pot, 8 to 12 in. | S | .65 | .50 | .40 |
| sempervirens, REDWOOD | | | | |
| 8 | to 10 ft. S | 4.00 | 3.00 | |
| 6 | to 8 ft. S | 3.00 | 2.25 | |
| 4 | to 6 ft. S | 2.00 | 1.50 | |
| 5 gal. can, 4 | to 5 ft. S | 1.25 | 1.00 | |
| 2½ gal. can, 3 | to 4 ft. S | 1.00 | .75 | .60 |
| 1 gal. can, 3 | to 4 ft. S | .75 | .50 | .40 |
| 5 in. pot, 4 | to 5 ft. S | .85 | .60 | .50 |
| 5 in. pot, 3 | to 4 ft. S | .75 | .50 | .40 |
| 5 in. pot, 2 | to 3 ft. S | .50 | .35 | .30 |
| 5 in. pot, 1½ | to 2 ft. S | .40 | .30 | .25 |
| TAXODIUM mucronatum | | | | |
| MONTEZUMA CYPRESS | | | | |
| The evergreen form of "Bald Cypress." Attains enormous age and size rivalling the Sequoias. Foliage feathery. Entire tree very graceful. | | | | |
| 4 and 5 in. pot, 2 to 3 ft. | S | .50 | .40 | .35 |
| TAXUS baccata, ENGLISH YEW | | | | |
| 3 | to 4 ft. | 4.00 | 3.00 | |
| 1½ | to 2 ft. C | 2.00 | 1.50 | |
| 1 | to 1½ ft. C | 1.25 | 1.00 | |
| baccata fastigiata, IRISH YEW | | | | |
| 3½ | to 4 ft. C | 7.00 | 5.00 | |
| 3 | to 3½ ft. C | 5.00 | 4.00 | |
| 2½ | to 3 ft. C | 4.00 | 3.00 | |
| 2 | to 2½ ft. C | 3.00 | 2.50 | |
| 1½ | to 2 ft. C | 2.50 | 2.00 | |
| THUYA occidentalis pyramidalis | | | | |
| AMERICAN PYRAMIDAL ARBORVITAE | | | | |
| Has the exact habit of Italian Cypress and rapidly taking its place as its color is better and it never "breaks." | | | | |
| 5 | to 6 ft. G | 4.00 | 3.00 | |
| 4 | to 5 ft. G | 3.00 | 2.50 | 2.25 |
| 3 | to 4 ft. G | 2.50 | 2.00 | 1.75 |
| 2 | to 3 ft. G | 2.00 | 1.50 | 1.25 |
| orientalis aurea nana | | | | |
| BERKMAN'S GOLDEN ARBORVITAE | | | | |
| 30 to 36 in. | G | 4.00 | 3.00 | |
| 24 to 30 in. | G | 3.00 | 2.25 | |
| 20 to 24 in. | G | 2.50 | 2.00 | |
| 15 to 18 in. | G | 2.00 | 1.50 | |
| orientalis beverleyensis | | | | |
| Foliage like common Golden Arbor Vitae but habit erect and somewhat columnar tapering toward top. | | | | |
| 6 | to 7 ft. G | 5.00 | 4.00 | |
| 5 | to 6 ft. G | 4.00 | 3.50 | |
| 4 | to 5 ft. G | 3.00 | 2.50 | 2.25 |
| 3 | to 4 ft. G | 2.50 | 2.00 | 1.75 |
| 2½ | to 3 ft. G | 2.00 | 1.50 | 1.25 |
| 2 | to 2½ ft. G | 1.75 | 1.25 | 1.00 |
| 1½ | to 2 ft. G | 1.50 | 1.00 | .85 |
| TORREYA californica, CALIFORNIA-NUTMEG | | | | |
| One of our rather uncommon native Conifers. Always scarce. | | | | |
| 4 in. pot, 6 to 10 in. | S | .60 | .40 | .35 |

Broad Leaved Evergreens

Unless otherwise stated all plants in this section will be balled at prices quoted.

| | each rate | 10 rate | 100 rate |
|---|--------------|------------|-------------|
| ABELIA grandiflora, GLOSSY ABELIA | | | |
| 6 to 7 ft. C | \$2.00 | 1.25 | 1.00 |
| 4 to 6 ft. C | 1.50 | 1.00 | .75 |
| 3 to 4 ft. C | 1.25 | .75 | .60 |
| 2 to 3 ft. C | 1.00 | .60 | .50 |
| 1½ to 2 ft. C | .75 | .50 | .04 |
| ACACIA armata, KANGAROO THORN | | | |
| 4 in. pot, 4 to 6 ft. S | .60 | .40 | .35 |
| 4 in. pot, 3 to 4 ft. S | .50 | .35 | .30 |
| 4 in. pot, 2 to 3 ft. S | .40 | .30 | |
| 4 in. pot, 1½ to 2 ft. S | .30 | .20 | |
| baileyana, COOTAMUNDRA WATTLE | | | |
| Gal. can and 5 in. pot, 5 to 6 ft. S | 1.00 | .80 | .75 |
| Gal. can, 4 to 5 ft. S | .85 | .70 | .60 |
| 4 and 5 in. pot, 4 to 5 ft. S | .75 | .60 | .50 |
| 4 in. pot, 3 to 4 ft. S | .60 | .40 | .35 |
| 4 in. pot, 2 to 3 ft. S | .50 | .35 | .30 |
| cultriformis, KNIFE ACACIA | | | |
| 5 in. pot, 4 to 5 ft. S | .60 | .40 | .35 |
| 4 in. pot, 3 to 4 ft. S | .50 | .35 | |
| 4 in. pot, 2 to 3 ft. S | .40 | .30 | .25 |
| decurrens dealbata (mollissima) | | | |
| SILVER WATTLE | | | |
| 4 in. pot, 6 to 7 ft. S | .75 | .50 | |
| 4 in. pot, 4 to 6 ft. S | .60 | .40 | .35 |
| 4 in. pot, 3 to 4 ft. S | .50 | .35 | .30 |
| 4 in. pot, 2 to 3 ft. S | .40 | .25 | .20 |
| latifolia, BROADLEAF ACACIA | | | |
| Gal. can, 6 to 8 ft. S | .75 | .60 | |
| 4 in. pot, 4 to 6 ft. S | .60 | .40 | .35 |
| 4 in. pot, 3 to 4 ft. S | .50 | .35 | .30 |
| 4 in. pot, 2 to 2 ft. S | .40 | .30 | .25 |
| 2½ in. pot, 4 to 8 in. S | .15 | .10 | .08 |
| melanoxylon, BLACKWOOD ACACIA | | | |
| Gal. can, 6 to 8 ft. S | 1.00 | .75 | .60 |
| Gal. can, 5 to 6 ft. S | .75 | .60 | |
| 4 in. pot, 4 to 6 ft. S | .60 | .40 | .35 |
| 4 in. pot, 3 to 4 ft. S | .50 | .35 | .30 |
| 4 in. pot, 2 to 3 ft. S | .40 | .30 | .25 |
| 2½ in. pot, 4 to 8 in. S | .15 | .10 | .08 |
| neriifolia (floribunda), BALD ACACIA | | | |
| 4 in. pot, 6 to 7 ft. S | .75 | .50 | .40 |
| 4 in. pot, 4 to 6 ft. S | .60 | .40 | .35 |
| 4 in. pot, 3 to 4 ft. S | .50 | .35 | .30 |
| 2½ in. pot, 4 to 8 in. S | .15 | .10 | .08 |
| ARBUTUS andrachne | | | |
| 4 in. pot, 1½ to 2 ft. S | .75 | .60 | |
| menziesi, MADRONE | | | |
| Our Pacific Coast native. Easily one of the most beautiful trees known. Bark rich mahogany red, lustrous laurel-like foliage, bell-shaped flowers followed by red berries. Hard to propagate so always scarce in nurseries but thrives splendidly when planted. | | | |
| 5 in. pot, 1½ to 2 ft. S | 1.00 | .75 | .60 |
| 5 in. pot, 15 to 18 in. S | .75 | .60 | .50 |
| 5 in. pot, 10 to 15 in. S | .65 | .50 | .40 |
| AUCUBA japonica, JAPANESE AUCUBA | | | |
| 5 in. pot, 6 to 10 in. C | .50 | .40 | |
| 4 in. pot, 6 to 8 in. C | .40 | .30 | |
| japonica variegata, GOLDUST AUCUBA | | | |
| 2 to 3 ft. C | 1.50 | 1.25 | |
| 1½ to 2 ft. C | 1.25 | 1.00 | |
| 1 to 1½ ft. C | 1.00 | .75 | |
| 2½ in. pot, 3 to 6 in. C | .15 | .12 | .10 |
| AZARA microphylla, BOXLEAF AZARA | | | |
| Remarkably graceful small tree with slender branches and small glossy leaves. Flowers yellow, minute but intensely fragrant. | | | |
| 4 in. pot, 1½ to 2 ft. C | .50 | .35 | .30 |
| 4 in. pot, 1 to 1½ ft. C | .40 | .30 | .25 |

| | each rate | 10 rate | 100 rate |
|--|--------------|------------|-------------|
| BERBERIS darwini, DARWIN BARBERRY | | | |
| 4 and 5 in. pot, 1 to 1½ ft. S | .40 | .30 | .25 |
| 2½ in. pot, 6 to 10 in. S | .20 | .15 | .10 |

knighti

The most beautiful evergreen Barberry. Leaves elongated, rich glossy green. Growth bushy. Bears a profusion of yellow flowers but with us never sets berries.

| | | | |
|--------------------------------|------|------|-----|
| 4 to 5 ft. C & G | 3.00 | 2.00 | |
| 3 to 4 ft. C & G | 2.00 | 1.50 | |
| 2 to 3 ft. C & G | 1.50 | 1.25 | |
| 1½ to 2 ft. C & G | 1.25 | 1.00 | |
| 1 to 1½ ft. C & G | 1.00 | .70 | |
| 4 in. pot, 1 to 1½ ft. C | .50 | .35 | .30 |
| 4 in. pot, 8 to 12 in. C | .40 | .30 | .25 |

laevis

Somewhat like preceding but not quite as good.

| | | | |
|--------------------------------|------|------|--|
| 3 to 4 ft. C | 1.50 | 1.00 | |
| 2 to 3 ft. C | 1.25 | .75 | |
| 4 in. pot, 1½ to 2 ft. C | .50 | .35 | |
| 4 in. pot, 1 to 1½ ft. C | .40 | .30 | |

verruculosa, WARTY BARBERRY

A splendid novelty. Growth low and compact, almost dwarf. Foliage small, holly-like, flowers yellow.

| | | | |
|-------------------------------|------|------|--|
| 1½ to 2 ft. G | 2.00 | 1.50 | |
| 4 in. pot, 6 to 8 in. G | .60 | .40 | |
| 4 in. pot, 4 to 6 in. G | .50 | .35 | |

wilsonae, WILSON BARBERRY

Very compact. Leaves small. Bears a tremendous profusion of coral pink berries.

| | | | |
|---------------------------------|------|------|-----|
| 3 to 4 ft. S | 1.25 | 1.00 | .75 |
| 2 to 3 ft. S | 1.00 | .75 | .60 |
| 1½ to 2 ft. S | .85 | .60 | .50 |
| 4 in. pot, 2 to 3 ft. S | .50 | .30 | .25 |
| 4 in. pot, 1½ to 2 ft. S | .40 | .25 | .20 |
| 2½ in. pot, 1 to 1½ ft. S | .15 | .12 | .10 |

BUDDLEIA alternifolia

| | | | |
|--------------------------------|-----|-----|--|
| 4 in. pot, 8 to 12 in. C | .30 | .25 | |
|--------------------------------|-----|-----|--|

lindleyana, LINDLEY BUTTERFLYBUSH

| | | | |
|-------------------------------|-----|-----|--|
| 4 in. pot, 3 to 4 ft. C | .30 | .25 | |
|-------------------------------|-----|-----|--|

BUXUS sempervirens,

COMMON BOX, ENGLISH BOXWOOD

If you are interested in English or Japanese Boxwoods, Pyramids and Globes, in carload lots write for special quotations.

Pyramids

| | | | |
|---------------------|------|------|--|
| 3 to 3½ ft. C | 4.00 | 3.00 | |
| 2½ to 3 ft. C | 3.00 | 2.50 | |
| 2 to 2½ ft. C | 2.50 | 2.00 | |
| 1½ to 2 ft. C | 2.00 | 1.50 | |

Globes

| | | | |
|----------------------|------|------|--|
| 20 to 24 in. C | 2.50 | 2.00 | |
| 18 to 20 in. C | 2.00 | 1.50 | |
| 15 to 18 in. C | 1.50 | 1.25 | |

CALODENDRON capense

| | | | |
|--------------------------------|-----|-----|--|
| 5 in. pot, 1½ to 2 ft. S | .75 | .50 | |
|--------------------------------|-----|-----|--|

CAMELLIA japonica

Practically all stock offered will carry flower buds which add greatly to their value.

Double Red

| | | | |
|---------------------|------|------|--|
| 2½ to 3 ft. C | 5.00 | 4.00 | |
| 2 to 2½ ft. C | 3.50 | 3.25 | |
| 1½ to 2 ft. C | 2.50 | 2.25 | |

NAMED VARIETIES

Akebono (pink, semi-double)

| | | | |
|---------------------|------|------|--|
| 2 to 2½ ft. C | 3.00 | 2.75 | |
| 1½ to 2 ft. C | 2.50 | 2.25 | |

Akebono Variegated

Pink, variegated white. Semi-double. Strong grower.

| | | | |
|-----------------|------|------|--|
| 2½ to 3 C | 3.50 | 3.25 | |
| 2 to 2½ C | 3.00 | 2.75 | |
| 1½ to 2 C | 2.50 | 2.25 | |

| CAMELLIA (Continued) | | each rate | 10 rate | 100e ratt |
|---|----------------------|--------------|------------|--------------|
| Dai Kagura | | | | |
| One of the largest varieties known. Unusually early. Double red sometimes tipped white. | | | | |
| 1 ½ to 2 | C | 4.50 | 4.00 | |
| 15 to 18 in. | C | 3.50 | 3.00 | |
| French Peony (pink) | | | | |
| 2 ½ to 3 | ft. C | 4.00 | 3.50 | |
| 2 | to 2 ½ ft. C | 3.00 | 2.75 | |
| 1 ½ to 2 | ft. C | 2.50 | 2.25 | |
| Kumasaka | | | | |
| Double pink. Flowers enormous. Produces when very young. Excellent for cutting. | | | | |
| 18 to 20 in. | C | 4.50 | 4.00 | |
| Otome Red (double rose red) | | | | |
| 1 ½ to 2 | ft. C | 2.50 | 2.25 | |
| Pink Perfection (double pink) | | | | |
| 1 ½ to 2 | ft. C | 2.50 | 2.25 | |
| sasanqua, SASANQUA TEA | | | | |
| Bears beautiful single flowers, white delicately tinted pink. Preferred by many to C. japonica. | | | | |
| 2 ½ in. pot, | 4 to 6 in. S | .20 | .15 | .10 |
| CEANOTHUS—WILD LILAC | | | | |
| arboreus | | | | |
| Makes a real tree. Blooms from fall through the winter and into spring. Blue. | | | | |
| 4 in. pot, | 2 to 3 ft. S | .75 | .50 | .40 |
| 4 in. pot, | 1 ½ to 2 ft. S | .50 | .35 | .30 |
| 4 in. pot, | 1 to 1 ½ ft. S | .40 | .30 | .25 |
| arboreus hybridus | | | | |
| Growth bushy. Color ranges through every shade of blue from deepest indigo to palest lavender. | | | | |
| 4 in. pot, | 4 to 6 ft. S | .60 | .40 | .35 |
| 4 in. pot, | 3 to 4 ft. S | .50 | .35 | .30 |
| 4 in. pot, | 2 to 3 ft. S | .40 | .30 | .25 |
| 2 ½ in. pot, | 1 to 1 ½ ft. S | .15 | .12 | .10 |
| cyaneus (deep blue) | | | | |
| The most beautiful Ceanothus. Discovered a few years ago in San Diego County. Clusters attain 15 inches in length and color is the deepest imaginable blue. Grows quickly makes a large shrub and flowers in almost unbelievable profusion. Splendid. | | | | |
| 4 in. pot, | 2 to 3 ft. S | .75 | .50 | .40 |
| 4 in. pot, | 1 ½ to 2 ft. S | .60 | .40 | .30 |
| 2 ½ in. pot, | 1 to 1 ½ ft. S | .20 | .15 | .12 |
| 2 ½ in. pot, | 8 to 12 in. S | .15 | .12 | .10 |
| spinosus | | | | |
| Growth compact and bushy. Flowers light blue. | | | | |
| 4 in. pot, | 2 to 3 ft. S | .50 | .30 | |
| 4 in. pot, | 1 ½ to 2 ft. S | .40 | .25 | .20 |
| CHOISYA ternata, MEXICAN ORANGE | | | | |
| 4 | to 5 ft. C | 1.75 | 1.25 | |
| 3 | to 4 ft. C | 1.50 | 1.00 | |
| 2 | to 3 ft. C | 1.25 | .85 | .75 |
| 1 ½ to 2 | ft. C | 1.00 | .70 | .60 |
| CHORIZEMA ilicifolium | | | | |
| 4 in. pot, | 1 ½ to 2 ft. C | .50 | .35 | .30 |
| CISTUS albidus, WHITELEAF ROCKROSE | | | | |
| 4 in. pot, | 3 to 4 ft. C | .40 | .25 | .20 |
| 4 in. pot, | 2 to 3 ft. C | .30 | .20 | .15 |
| COPROSMA baueri, CORAL COPROSMA | | | | |
| 4 in. pot, | 8 to 12 in. S | .25 | .20 | .18 |
| 3 and 4 in. pot, | 6 to 8 in. S | .20 | .15 | .12 |
| CORNUS capitata, EVERGREEN DOGWOOD | | | | |
| Bears a profusion of large creamy yellow flowers, much like C. florida or C. nuttali but is perfectly evergreen. | | | | |
| 4 in. pot, | 2 to 3 ft. S | .60 | .40 | .35 |
| 4 in. pot, | 1 ½ to 2 ft. S | .50 | .30 | .25 |
| 4 in. pot, | 1 to 1 ½ ft. S | .40 | .25 | .20 |
| CORONILLA glauca, HONEY CORONILLA | | | | |
| 4 in. pot, | 2 to 3 ft. C | .40 | .25 | .20 |

| | each rate | 10 rate | 100 rate |
|---|--------------|------------|-------------|
| COTONEASTER | | | |
| We propagate Cotoneasters not only in the ordinary bushy form but also as Standards offered in pots or balled are on <i>C. frigida</i> which is not hardy east, but where offered bare roots they are on Mountain Ash which is hardier than any Cotoneaster. These Standards, especially as they attain age, have a beautiful and striking effect which cannot be otherwise duplicated. | | | |
| apiculata | | | |
| Habit prostrate about like <i>C. horizontalis</i> . Foliage better and berries much larger and brighter red. Probably hardy east except in extreme north. | | | |
| 4 in. pot, 1 to 1½ ft. S | .50 | .30 | .25 |
| 5 in. pot, 8 to 12 in. G | .50 | .35 | .30 |
| dielsiana elegans (schneideri) | | | |
| Bears a tremendous crop of red berries. Practically deciduous but carries its leaves late in the fall. | | | |
| 4 to 5 ft. S | 1.25 | 1.00 | |
| 3 to 4 ft. S | 1.00 | .75 | .60 |
| 2 to 3 ft. S | .75 | .60 | .50 |
| 1½ to 2 ft. S | .65 | .50 | .40 |
| 2½ and 3 in. pot, 1 to 1½ ft. S | .25 | .15 | .12 |
| francheti, FRANCHET COTONEASTER | | | |
| 4 to 6 ft. S | 1.75 | 1.25 | 1.00 |
| 3 to 4 ft. S | 1.25 | .85 | .75 |
| 4 in. pot, 2 to 3 ft. S | .40 | .30 | .25 |
| 4 in. pot, 1½ to 2 ft. S | .35 | .25 | .20 |
| frigida | | | |
| 4 in. pot, 2 to 3 ft. S | .40 | .30 | .25 |
| 4 in. pot, 1½ to 2 ft. S | .30 | .25 | .20 |
| harroviana | | | |
| A fairly recent introduction. Fully evergreen. Branches mahogany red. Foliage pleasing. Bears an enormous crop of red berries in clusters along the arching branches. | | | |
| 6 to 8 ft. S | 2.00 | 1.50 | 1.25 |
| 4 to 6 ft. S | 1.75 | 1.25 | 1.00 |
| 3 to 4 ft. S | 1.50 | 1.00 | .90 |
| 2 to 3 ft. S | 1.25 | .85 | |
| 1½ to 2 ft. S | 1.00 | .75 | .60 |
| 1 to 1½ ft. S | .75 | .60 | .50 |
| 4 in. pot, 2 to 3 ft. S | .50 | .35 | .30 |
| 4 in. pot, 1½ to 2 ft. S | .40 | .30 | .25 |
| 4 in. pot, 1 to 1½ ft. S | .35 | .25 | .20 |
| 2½ and 3 in. pot, 1 to 1½ ft. S | .20 | .15 | .12 |
| Standards—top grafted | | | |
| Balled, 5 ft. stem, good head..... | 2.00 | 1.50 | |
| Balled, 4 ft. stem, good head..... | 1.75 | 1.25 | |
| Gal. can, 4 ft. stem, 3 yr. head..... | 2.00 | 1.50 | |
| 5 in. pot, 3 ft. stem, 1 yr. head..... | 1.00 | .75 | |
| horizontalis, ROCK COTONEASTER | | | |
| 4 in. pot, 1½ to 2 ft. S | .50 | .35 | .30 |
| 4 in. pot, 1 to 1½ ft. S | .40 | .30 | .25 |
| 4 in. pot, 8 to 12 in. S | .35 | .25 | .20 |
| 2½ in. pot, 8 to 12 in. S | .20 | .15 | .10 |
| 2½ in. pot, 4 to 6 in. S | .15 | .10 | .08 |
| Standards—top grafted | | | |
| Bare roots, 5 ft. stem, 1 yr. head..... | 2.00 | 1.50 | |
| Bare roots, 4 ft. stem, 1 yr. head..... | 1.75 | 1.25 | |
| Balled, 3 ft. stem, 2 yr. head..... | 1.50 | 1.00 | |
| 5 in. pot, 2 ft. stem, 1 yr. head..... | 1.00 | .75 | |
| microphylla, ROCKSPRAY | | | |
| 3 to 4 ft. S | 2.00 | 1.50 | |
| 2½ to 3 ft. S | 1.50 | 1.25 | |
| 2 to 2½ ft. S | 1.25 | 1.00 | |
| 1½ to 2 ft. S | 1.00 | .75 | |
| 1 to 1½ ft. S | .75 | .60 | |
| Gal. can, 1½ to 2 ft. S | .60 | .40 | |
| 4 in. pot, 1½ to 2 ft. S | .40 | .30 | .25 |
| 4 in. pot, 1 to 1½ ft. S | .35 | .25 | .20 |
| Standards—top grafted | | | |
| Balled, 3 ft. stem, 3 yr. head..... | 2.00 | 1.50 | |
| 5 in. pot, 2 ft. stem, heavy head..... | 1.25 | 1.00 | .75 |
| 5 in. pot, 1 ft. stem, 2 yr. head..... | .85 | .60 | |

| COTONEASTER (Continued) | | each rate | 10 rate | 100 rate |
|---|-------------------|--------------|------------|-------------|
| <i>microphylla thymifolia</i> , THYME ROCKSPRAY | | | | |
| 4 in. pot, 1 | to 1½ ft. C | .50 | .35 | |
| Standards—top grafted | | | | |
| Balled, 3 ft. stem, 3 yr. head..... | | 2.00 | 1.50 | |
| 5 in. pot, 2 ft. stem, heavy head..... | | 1.25 | 1.00 | |
| 5 in. pot, 1 ft. stem, 2 yr. head..... | | 1.00 | .75 | |
| <i>pannosa</i> , SILVERLEAF COTONEASTER | | | | |
| 6 | to 8 ft. S | 2.00 | 1.50 | 1.25 |
| 4 | to 6 ft. S | 1.50 | 1.25 | |
| 4 in. pot, 3 | to 4 ft. S | .65 | .40 | .35 |
| 4 in. pot, 2 | to 3 ft. S | .50 | .35 | .30 |
| 4 in. pot, 1½ | to 2 ft. S | .40 | .30 | .25 |
| 4 in. pot, 1 | to 1½ ft. S | .35 | .25 | .20 |
| 3 in. pot, 1 | to 1½ ft. S | .30 | .20 | .15 |
| 2½ in. pot, 8 | to 12 in. S | .20 | .12 | .10 |
| Standards—top grafted | | | | |
| Balled, 3 ft. stem, good head..... | | 1.50 | 1.25 | |
| 5 in. pot, 5 ft. stem, 2 yr. head..... | | 2.00 | 1.50 | |
| 5 in. pot, 4 ft. stem, 2 yr. head..... | | 1.75 | 1.25 | |
| <i>pannosa nana</i> , DWARF SILVERLEAF COTONEASTER | | | | |
| This is possibly not a variety of <i>C. pannosa</i> but it is exactly like it except that it is smaller in every respect. Bears a profuse crop of red berries. Very beautiful and deserves wide use. | | | | |
| 1½ to 2 | ft. C | 1.00 | .75 | |
| 1 | to 1½ ft. C | .75 | .60 | |
| 4 in. pot, 6 to 8 in. | C | .30 | .25 | |
| <i>parnayi</i> | | | | |
| Resembles <i>C. harroviana</i> very much but has larger leaves and fewer but larger berries which are a fine red. Excellent and rather scarce. | | | | |
| 4 in. pot, 1½ to 2 | ft. grafted..... | .50 | .35 | .30 |
| Standards—top grafted | | | | |
| 5 in. pot, 3 ft. stem, 1 yr. head..... | | 1.50 | 1.00 | |
| <i>praecox</i> | | | | |
| One of the best novelties we offer. Growth practically prostrate. Leaves glossy, about ¾ inch long with wavy margins which give the plant great beauty. Its peculiar and striking merit is its earliness which gives it its name. The berries are large, red and colored by the end of June, months before other cotoneasters. Our specimen plants have been greatly admired by visiting nurserymen. It drops its leaves for a short period about as <i>C. horizontalis</i> does. | | | | |
| 4 in. pot, 8 | to 12 in. S | .60 | .40 | .35 |
| 4 in. pot, 6 | to 8 in. S | .50 | .35 | .30 |
| 4 in. pot, 4 | to 6 in. S | .40 | .30 | .25 |
| Standards—top grafted | | | | |
| Bare roots, 5 ft. stem, 1 yr. head..... | | 2.50 | 1.75 | |
| Bare roots, 4 ft. stem, 1 yr. head..... | | 2.00 | 1.50 | |
| 5 in. pot, 4 ft. stem, 2 yr. head..... | | 2.00 | 1.50 | |
| 5 in. pot, 3 ft. stem, 2 yr. head..... | | 1.50 | 1.25 | |
| <i>prostrata</i> | | | | |
| 2 | to 2½ ft. C | 1.00 | .75 | |
| 4 in. pot, 1 | to 1½ ft. S | .40 | .30 | .25 |
| Standards—top grafted | | | | |
| Balled 3 ft. stem, 3 yr. head..... | | 2.00 | 1.50 | |
| 5 in. pot, 1 ft. stem, 2 yr. head..... | | 1.00 | .75 | .65 |
| <i>pyrenaica</i> , PYRENEES COTONEASTER | | | | |
| A beautiful and unique little plant. Growth not simply prostrate but really directly downward if it gets the chance. Hence to show its true habit it should be grown in a rockery or else top-grafted when it makes a miniature umbrella shaped specimen. Leaves small, evergreen. Berries red but scarce. Growth very slow. | | | | |
| 4 in. pot, 4 to 6 in. | G | .50 | .35 | |
| Standards—top grafted | | | | |
| 5 in. pot, 3 ft. stem, 2 yr. head..... | | 1.75 | 1.25 | 1.00 |
| 5 in. pot, 2 ft. stem, 2 yr. head..... | | 1.25 | 1.00 | |
| <i>salicifolia</i> | | | | |
| Standards—top grafted | | | | |
| Bare roots, 5 ft. stem, 1 yr. head..... | | 2.00 | 1.50 | |
| Bare roots, 4 ft. stem, 1 yr. head..... | | 1.50 | 1.25 | |
| 5 in. pot, 4 ft. stem, 1 yr. head..... | | 1.50 | 1.25 | |
| 5 in. pot, 3 ft. stem, 1 yr. head..... | | 1.25 | 1.00 | |
| <i>simonsi</i> , SIMONS COTONEASTER | | | | |
| 4 in. pot, 1½ to 2 | ft..... | .40 | .30 | .25 |

To Eastern Nurserymen

Please look carefully through enclosed price list. Our eastern business is steadily increasing. Many items are so readily grown in California that it is cheaper to get them from here than to raise or buy them elsewhere.

California may seem a long way off, but freight is not serious on deciduous stock. Furthermore, while we cannot promise to do so in all cases, we are very often able to combine different orders and give to all the benefit of carload rate which is identically the same TO ANY POINT EAST OF THE ROCKIES. Heated refrigerator cars can go any time during winter to practically any eastern point. Also we can make l. c. l. shipments to any Atlantic Coast point via New Orleans and Steamer which has proved very satisfactory.

We particularly call your attention to the following:

JAPANESE CHERRIES, erect and weeping
FLOWERING FRUIT TREES in general
COTONEASTERS
BIRCH, Cutleaf Weeping and Young's Weeping
HAWTHORNS (Crataegus)
MAPLE, Schwedler's
MULBERRY, Weeping
SYCAMORE, European (Oriental Plane)
LILACS

also note list of Novelties and Specialties on page 2.

We can always supply Boxwood, Phoenix (Date Palm) and Kentia Palms in carload lots. If interested write for current prices.

We solicit inquiries for anything in the nursery line produced on the Pacific Coast.

W. B. CLARKE & SON
San Jose, Calif.

To Eastern Nurseriesmen

It is a pleasure to have your attention directed to the fact that the following is a list of the names of the nurseriesmen who have been selected to receive the honor of being the first to receive the award of the American Nurserymen's Association for the year 1901.

The following is a list of the names of the nurseriesmen who have been selected to receive the honor of being the first to receive the award of the American Nurserymen's Association for the year 1901. The list is arranged in alphabetical order of the names of the nurseriesmen. The names of the nurseriesmen are given in full, and the names of the nurseries are given in parentheses. The names of the nurseriesmen are given in full, and the names of the nurseries are given in parentheses. The names of the nurseriesmen are given in full, and the names of the nurseries are given in parentheses.

The following is a list of the names of the nurseriesmen who have been selected to receive the honor of being the first to receive the award of the American Nurserymen's Association for the year 1901.

ALFRED W. BROWN, (The Brown Nursery, New York, N. Y.)
JAMES H. BROWN, (The Brown Nursery, New York, N. Y.)
JAMES H. BROWN, (The Brown Nursery, New York, N. Y.)
JAMES H. BROWN, (The Brown Nursery, New York, N. Y.)
JAMES H. BROWN, (The Brown Nursery, New York, N. Y.)
JAMES H. BROWN, (The Brown Nursery, New York, N. Y.)
JAMES H. BROWN, (The Brown Nursery, New York, N. Y.)
JAMES H. BROWN, (The Brown Nursery, New York, N. Y.)
JAMES H. BROWN, (The Brown Nursery, New York, N. Y.)
JAMES H. BROWN, (The Brown Nursery, New York, N. Y.)

The following is a list of the names of the nurseriesmen who have been selected to receive the honor of being the first to receive the award of the American Nurserymen's Association for the year 1901.

The following is a list of the names of the nurseriesmen who have been selected to receive the honor of being the first to receive the award of the American Nurserymen's Association for the year 1901.

W. E. CLARK & SON
The New York

| | each rate | 10 rate | 100 rate |
|--|--------------|------------|-------------|
| CYTISUS canariensis, CANARY BROOM | | | |
| 4 in. pot, 4 to 5 ft. S | .50 | .35 | .30 |
| 4 in. pot, 3 to 4 ft. S | .40 | .30 | .25 |
| 4 in. pot, 2 to 3 ft. S | .35 | .25 | .20 |
| multiflorus, PORTUGAL BROOM | | | |
| 4 in. pot, 2 to 3 ft. S | .50 | .35 | .30 |
| 4 in. pot, 1½ to 2 ft. S | .40 | .30 | .25 |
| praecox albus | | | |
| Growth low and compact. Blooms very early and in extreme profusion. Flowers white. | | | |
| 4 in. pot, 1 to 1½ ft. G | .50 | .35 | |
| praecox luteus | | | |
| Identical with preceding variety but flowers yellow. | | | |
| 4 in. pot, 12 to 15 in. G | .40 | .30 | |
| 4 in. pot, 8 to 12 in. G | .35 | .25 | |
| racemosus (Genista racemosa) | | | |
| EASTER BROOM | | | |
| 5 in. pot, 15 to 18 in. C | .75 | .50 | .40 |
| 4 in. pot, 12 to 15 in. C | .50 | .35 | .30 |
| 4 in. pot, 8 to 12 in. C | .40 | .30 | .25 |
| scoparius, SCOTCH BROOM | | | |
| 4 in. pot, 2 to 3 ft. S | .40 | .30 | .25 |
| 3 in. pot, 1 to 2 ft. S | .30 | .20 | .15 |
| 2½ in. pot, 1½ to 2 ft. S | .20 | .15 | .12 |
| scoparius andreanus, PARADISE BROOM | | | |
| 4 in. pot, 10 to 15 in. G | .50 | .40 | |
| 4 in. pot, 1 to 1½ ft. S | .40 | .30 | .25 |
| 4 in. pot, 8 to 12 in. S | .35 | .25 | .20 |
| 2½ in. pot, 2 to 3 in. S | .20 | .15 | .10 |
| DAPHNE odora marginata, Pink Daphne | | | |
| Bushy, 2 ft. C | 2.00 | 1.75 | |
| Bushy, 15 to 18 in. C | 1.65 | 1.40 | |
| Light, 15 to 18 in. C | 1.40 | 1.15 | |
| Light, 10 to 15 in. C | 1.00 | .85 | |
| DIOSMA ericoides, BREATH-OF-HEAVEN | | | |
| 5 in. pot, 1½ to 2 ft. C | .50 | .35 | .30 |
| 4 in. pot, 1 to 1½ ft. C | .40 | .30 | .25 |
| 2½ in. pot, 6 to 8 in. C | .20 | .12 | .10 |
| reevesii | | | |
| 5 in. pot, 10 to 15 in. C | .40 | .30 | .25 |
| ERIOBOTRYA japonica, LOQUAT | | | |
| 6 to 7 ft. S | 2.00 | 1.50 | 1.25 |
| 4 to 6 ft. S | 1.75 | 1.25 | 1.00 |
| 3 to 4 ft. S | 1.50 | 1.00 | .75 |
| ERYTHRINA crista-galli, CORALTREE | | | |
| 4 in. pot, 6 to 10 in. S | .40 | .30 | |
| 3 in. pot, 4 to 6 in. S | .30 | .25 | |
| ESCALLONIA montevidensis | | | |
| MONTEVIDEO ESCALLONIA | | | |
| 5 in. pot, 2 to 2½ ft. C | .60 | .40 | |
| 5 in. pot, 1½ to 2 ft. C | .50 | .35 | .30 |
| 4 and 5 in. pot, 1 to 1½ ft. C | .40 | .30 | .25 |
| rosea, ROSE ESCALLONIA | | | |
| 1½ to 2 ft. C | .75 | .60 | |
| 1 to 1½ ft. C | .65 | .50 | |
| 4 in. pot, 1 to 1½ ft. C | .35 | .25 | .20 |
| 2 in. pot, 6 to 8 in. C | .15 | .10 | .08 |
| rubra glabriuscula, RED ESCALLONIA | | | |
| 3 to 4 ft. C | 1.25 | 1.00 | |
| 2 to 3 ft. C | 1.00 | .75 | |
| 1½ to 2 ft. C | .75 | .60 | |
| 4 in. pot, 1½ to 2 ft. C | .50 | .35 | .30 |
| 4 in. pot, 1 to 1½ ft. C | .40 | .30 | .25 |
| sanguinea | | | |
| Flowers bright red. Growth very vigorous. | | | |
| 1 to 1½ ft. C | .65 | .50 | |
| 4 in. pot, 1½ to 2 ft. C | .40 | .30 | .25 |
| EUCALYPTUS erythronema | | | |
| Small tree which blooms quite young. The red flowers are borne in great profusion and contrast beautifully with the white trunk. | | | |
| 4 in. pot, 4 to 5 ft. S | 1.00 | .75 | |
| 4 in. pot, 2 to 3 ft. S | .65 | .50 | .40 |
| 2½ in. pot, 4 to 10 in. S | .20 | .15 | .10 |
| leucoxylon rosea, PINK IRONBARK | | | |
| gal. can, 5 to 6 ft. S | .75 | .60 | .50 |
| nutans | | | |
| New. Makes a very small tree bearing bright red flowers. | | | |
| 4 in. pot, 1½ to 2 ft. S | .50 | .40 | |

| EUCALYPTUS (Continued) | | each rate | 10 rate | 100 rate |
|---|------|--------------|------------|-------------|
| tetraptera | | | | |
| New. Attains about 12 ft. height. Bears very large bright red flowers. | | | | |
| 4 and 5 in. pot, 2 to 3 ft. S | | .65 | .50 | |
| torquata | | | | |
| New. Attains about 30 ft. Flowers very large, beautiful coral red. | | | | |
| 4 in. pot, 2 to 3 ft. S | | .65 | .50 | |
| 2½ in. pot, 6 to 12 in. S | | .25 | .20 | .15 |
| EUONYMUS japonicus | | | | |
| EVERGREEN BURNINGBUSH | | | | |
| 4 in. pot, 1 to 1½ ft. C | | .35 | .25 | |
| japonicus albo-variegatus | | | | |
| SILVERSPOT BURNINGBUSH | | | | |
| 4 to 5 ft. C | 1.25 | 1.00 | | |
| 3 to 4 ft. C | 1.00 | .75 | | |
| 2 to 3 ft. C | .75 | .60 | | |
| 1½ to 2 ft. C | .65 | .50 | | |
| gal. can, 1½ to 2 ft. C | .50 | .40 | | .35 |
| 4 in. pot, 8 to 12 in. C | .35 | .25 | | .20 |
| 2½ in. pot, 2 to 3 in. C | .15 | .12 | | .10 |
| japonicus aureo-marginatus | | | | |
| GILTEDGE BURNINGBUSH | | | | |
| 1 to 1½ ft. C | .75 | .60 | | .50 |
| japonicus Duc d'Anjou | | | | |
| gal. can, 2 to 2½ ft. C | .65 | .50 | | |
| japonicus microphyllus albo-marginatus | | | | |
| 15 to 18 in. C | 1.25 | 1.00 | | |
| 12 to 15 in. C | 1.00 | .75 | | |
| 10 to 12 in. C | .75 | .50 | | |
| GENISTA—See Cytisus | | | | |
| GREVILLEA robusta, SILK-OAK | | | | |
| 5 in. pot, 4 to 6 ft. S | .75 | .50 | | .40 |
| 5 in. pot, 3 to 4 ft. S | .60 | .40 | | .35 |
| 4 in. pot, 2 to 3 ft. S | .50 | .35 | | .30 |
| 4 in. pot, 1½ to 2 ft. S | .40 | .30 | | .25 |
| HETEROMELES—See Photinia | | | | |
| HYPERICUM calycinum | | | | |
| This plant makes one of the very best ground covers. It spreads rapidly by creeping rootstocks. Flowers large, bright yellow. | | | | |
| 4 in. pot, 6 to 8 in. C | .35 | .25 | | .20 |
| 2½ in. pot, 4 to 6 in. C | .15 | .12 | | .10 |
| rooted layers, bare roots, 12 to 15 in. | .15 | .12 | | .10 |
| moserianum, GOLDFLOWER | | | | |
| 4 in. pot, 1 to 1½ ft. C | .40 | .30 | | .25 |
| patulum grandiflorum | | | | |
| 4 in. pot, 2 to 3 ft. S | .30 | .25 | | .20 |
| patulum henryi, HENRY HYPERICUM | | | | |
| 4 in. pot, 3 to 4 ft. S | .40 | .30 | | .25 |
| ILEX aquifolium, ENGLISH HOLLY | | | | |
| 4 in. pot, 6 to 10 in. S | .40 | .30 | | .25 |
| aquifolium (Dutch Type) | | | | |
| 5 in. pot, 6 to 8 in. G | .65 | .50 | | .40 |
| cornuta, CHINESE HOLLY | | | | |
| 4 in. pot, 6 to 10 in. S | .50 | .35 | | .30 |
| LAUROCERASUS caroliniana | | | | |
| CAROLINA LAUREL | | | | |
| 3 and 4 in. pot, 2 to 2½ ft. S | .40 | .30 | | .25 |
| officinalis, ENGLISH CHERRY-LAUREL | | | | |
| 5 to 6 ft. C | 2.50 | 2.00 | | |
| 1½ to 2 ft. C | 1.25 | .85 | | .75 |
| 1 to 1½ ft. C | 1.00 | .70 | | .60 |
| LAURUS nobilis, GRECIAN LAUREL | | | | |
| 4 in. pot, 1 to 1½ ft. S | .50 | .35 | | .30 |
| 4 in. pot, 8 to 12 in. S | .40 | .30 | | .25 |
| LEONOTIS leonurus, LIONS EAR | | | | |
| 6 in. pot, 2 to 3 ft. C | .40 | .30 | | |
| LEPTOSPERMUM chapmani | | | | |
| From the time it is propagated this bears an extreme profusion of flowers, white tinted pink. | | | | |
| 4 in. pot, 1½ to 2 ft. C | .50 | .35 | | .30 |
| 4 in. pot, 1 to 1½ ft. C | .40 | .30 | | .25 |
| laevigatum, AUSTRALIAN TEA-TREE | | | | |
| 2½ in. pot, 6 to 8 in. S | .15 | .10 | | .08 |
| LEUCADENDRON argenteum, SILVER-TREE | | | | |
| 4 in. pot, 1½ to 2 ft. S | .75 | .60 | | |
| 4 in. pot, 6 to 8 in. S | .50 | .40 | | |

| | each rate | 10 rate | 100 rate |
|---|--------------|------------|-------------|
| LIGUSTRUM lucidum, JAPANESE PRIVET | | | |
| One of the very best hedge plants. It has handsome glossy leaves and is absolutely evergreen, making it far superior to California Privet which is more or less deciduous. In larger sizes it is a good foliage plant for quick effect. | | | |
| balled, 6 to 7 ft. S | 1.50 | 1.25 | |
| balled, 4 to 6 ft. S | 1.25 | 1.00 | .85 |
| balled, 3 to 4 ft. S | 1.00 | .75 | .60 |
| balled, 2 to 3 ft. S | .75 | .60 | .50 |
| balled, 1 ½ to 2 ft. S | .65 | .50 | |
| bare roots, 1 to 1 ½ ft. S\$50.00 per 1000 | .10 | .07 | .06 |
| bare roots, 8 to 12 in. S\$40.00 per 1000 | .10 | .06 | .05 |
| macrophyllum | | | |
| An excellent form with very large glossy leaves. Fully evergreen. | | | |
| 4 to 6 ft. B | 2.00 | 1.50 | |
| 3 to 4 ft. B | 1.50 | 1.25 | |
| 2 to 3 ft. B | 1.25 | 1.00 | |
| ovalifolium variegatum | | | |
| GOLDEN CALIFORNIA PRIVET | | | |
| 6 to 8 ft. C | 2.00 | 1.25 | |
| 4 to 6 ft. C | 1.50 | 1.00 | |
| 4 in. pot, 2 to 3 ft. C | .40 | .30 | .25 |
| LITHOCARPUS densiflora, TAN-BARK OAK | | | |
| 4 in. pot, 8 to 10 in. S | .40 | .30 | |
| LONICERA nitida, BOX HONEYSUCKLE | | | |
| 2 ½ in. pot, 6 to 10 in. C | .15 | .10 | .08 |
| MAGNOLIA grandiflora | | | |
| SOUTHERN MAGNOLIA | | | |
| 5 to 6 ft. S | 3.00 | 2.50 | |
| 3 to 4 ft. S | 2.00 | 1.50 | |
| 2 to 3 ft. S | 1.50 | 1.25 | |
| 1 ½ to 2 ft. S | 1.25 | 1.00 | |
| 4 in. pot, 1 ½ to 2 ft. S | .65 | .50 | .40 |
| 4 in. pot, 1 to 1 ½ ft. S | .50 | .40 | .35 |
| MAHONIA aguifolium | | | |
| OREGON HOLLYGRAPE | | | |
| 4 to 5 ft. S | 2.00 | 1.50 | |
| 3 to 4 ft. S | 1.75 | 1.25 | 1.00 |
| 2 to 3 ft. S | 1.50 | 1.00 | .90 |
| 1 ½ to 2 ft. S | 1.00 | .75 | .60 |
| 1 to 1 ½ ft. S | .75 | .60 | .50 |
| bealei (japonica) | | | |
| LEATHERLEAF HOLLY-GRAPE | | | |
| 5 in. pot, 8 to 12 in. S | .50 | .40 | .35 |
| MELALEUCA decussata, LILAC MELALEUCA | | | |
| 4 in. pot, 1 ½ to 2 ft. S | .30 | .20 | |
| ericifolia, HEATH MELALEUCA | | | |
| 4 in. pot, 2 to 3 ft. S | .35 | .25 | |
| hypericifolia, DOTTED MELALEUCA | | | |
| 4 in. pot, 1 ½ to 2 ft. | .40 | .30 | .25 |
| MICHELIA fuscata (Magnolia fuscata) | | | |
| This is the rare and beautiful "Banana Shrub" which bears small, intensely fragrant flowers, brownish yellow, sometimes marked with carmine. | | | |
| 2 ½ to 3 ft. | 4.00 | 3.75 | |
| 2 to 2 ½ ft. | 3.00 | 2.75 | |
| MYRTUS communis, TRUE MYRTLE | | | |
| 4 in. pot, 1 ½ to 2 ft. C | .50 | .35 | .30 |
| 4 in. pot, 1 to 1 ½ ft. C | .40 | .30 | .25 |
| communis microphylla | | | |
| ROSEMARY MYRTLE | | | |
| 4 in. pot, 12 to 15 in. C | .40 | .30 | .25 |
| communis variegata | | | |
| 4 in. pot, 8 to 12 in. C | .50 | .35 | .30 |
| NANDINA domestica, NANDINA | | | |
| 1 ½ to 2 ft. S | 1.00 | .75 | .65 |
| 1 to 1 ½ ft. S | .75 | .60 | .50 |
| 4 in. pot, 8 to 12 in. S | .50 | .35 | .30 |
| 2 ½ in. pot, 3 to 6 in. S | .15 | .12 | .10 |
| NERIUM oleander, OLEANDER | | | |
| Mrs. Roeding | | | |
| Flowers salmon pink, double. About the best variety. | | | |
| 3 to 4 ft. C | 1.25 | .85 | .70 |
| 2 to 3 ft. C | 1.00 | .75 | .60 |
| 1 ½ to 2 ft. C | .85 | .65 | |
| PARKINSONIA aculeata, PALO VERDE | | | |
| 6 and 8 in. pot, 4 to 6 ft. S | 1.00 | .75 | |

| | each rate | 10 rate | 100 rate |
|---|--------------|------------|-------------|
| PHOTINIA arbutifolia | | | |
| CALIFORNIA HOLLY; | | | |
| TOYON; XMAS BERRY | | | |
| 4 and 5 in. pot, 1 ½ to 2 ft. S | .65 | .50 | .40 |
| 4 and 5 in. pot, 15 to 18 in. S | .50 | .40 | .35 |
| 4 and 5 in. pot, 12 to 15 in. S | .40 | .35 | .30 |
| 4 and 5 in. pot, 8 to 12 in. S | .35 | .30 | .25 |
| serrulata nova | | | |
| New. Raised from seed imported from China. Quite distinct from the P. serrulata we have had for years in California. Leaves have slightly prickly margins, new growth is coppery and the whole appearance is very attractive indeed. It should bear clusters of red berries but we have not had it long enough to tell. Ought to become highly popular. | | | |
| 4 and 5 in. pot, 1 ½ to 2 ft. S | .60 | .40 | .35 |
| 4 in. pot, 1 to 1 ½ ft. S | .50 | .35 | .30 |
| 4 in. pot, 8 to 12 in. S | .40 | .30 | .25 |
| PITTOSPORUM crassifolium, KARO | | | |
| 4 to 6 ft. S | 1.25 | 1.00 | |
| 3 to 4 ft. S | 1.00 | .75 | |
| 2 to 3 ft. S | .75 | .60 | |
| 1 ½ to 2 ft. S | .65 | .50 | |
| 2 ½ in. pot, 2 in. S | .15 | .10 | .08 |
| eugenioides, TARATA | | | |
| 2 to 3 ft. S | 1.00 | .75 | .65 |
| 1 ½ to 2 ft. S | .85 | .60 | |
| 4 in. pot, 2 to 2 ½ ft. S | .50 | .35 | .30 |
| 4 in. pot, 1 ½ to 2 ft. S | .40 | .30 | .25 |
| 4 in. pot, 1 to 1 ½ ft. S | .35 | .25 | .20 |
| phillyraeoides, WILLOW PITTOSPORUM | | | |
| Although very popular in Southern California, it is almost unknown in other parts of the state. It is absolutely hardy here with a usual winter minimum of 24 degrees so should thrive in most sections of California. Has the habit and appearance of an evergreen weeping willow on a smaller scale. | | | |
| 5 in. pot, 3 to 4 ft. S | .85 | .60 | |
| 4 and 5 in. pot, 2 to 3 ft. S | .70 | .50 | .40 |
| 2 ½ in. pot, 3 to 6 in. S | .15 | .12 | .10 |
| tenuifolium (nigricans), TAWHIWHI | | | |
| 1 ½ to 2 ft. S | .85 | .70 | .60 |
| 1 to 1 ½ ft. S | .75 | .60 | |
| 4 in. pot, 2 to 2 ½ ft. S | .50 | .35 | .30 |
| 4 in. pot, 1 ½ to 2 ft. S | .40 | .30 | .25 |
| 4 in. pot, 1 to 1 ½ ft. S | .35 | .25 | .20 |
| tobira, TOBIRA | | | |
| 4 to 5 ft. S | 1.50 | 1.25 | |
| 3 to 4 ft. S | 1.25 | 1.00 | |
| 2 to 3 ft. S | 1.00 | .85 | |
| 1 ½ to 2 ft. S | .85 | .70 | .60 |
| 4 in. pot, 1 ½ to 2 ft. S | .50 | .30 | .25 |
| 4 in. pot, 1 to 1 ½ ft. S | .40 | .25 | .20 |
| tobira variegatum, WHITESPOT TOBIRA | | | |
| 1 ½ to 2 ft. G | 1.25 | 1.00 | |
| 1 to 1 ½ ft. G | 1.00 | .75 | .65 |
| 8 to 12 in. G | .75 | .60 | |
| 5 in. pot, 1 to 1 ½ ft. G | .75 | .50 | |
| 4 in. pot, 8 to 12 in. G | .50 | .35 | .30 |
| 4 in. pot, 6 to 8 in. C and G | .40 | .30 | .25 |
| 2 ½ in. pot, 6 to 10 in. C | .25 | .20 | .15 |
| POLYGALA dalmaisiana | | | |
| DALMAIS POLYGALA | | | |
| 4 in. pot, 1 to 1 ½ ft. C | .50 | .35 | |
| 2 ½ in. pot, 8 to 12 in. C | .35 | .25 | |
| PRUNUS ilicifolia, HOLLYLEAF CHERRY | | | |
| 4 in. pot, 1 to 1 ½ ft. S | .50 | .30 | .25 |
| 3 in. pot, 6 to 8 in. S | .40 | .25 | .20 |
| 3 in. pot, 4 to 6 in. S | .30 | .20 | .15 |
| lyoni, CATALINA CHERRY | | | |
| 4 in. pot, 1 to 1 ½ ft. S | .50 | .30 | .25 |
| PSIDIUM cattleianum | | | |
| STRAWBERRY GUAVA | | | |
| Plants offered are of bearing age. Most of them have borne fruit this season. | | | |
| gal. can, 2 to 2 ½ ft. S | .60 | .40 | |
| gal. can & 5 in. pots, 1 ½ to 2 ft. S | .50 | .35 | .30 |
| 5 in. pot, 1 to 1 ½ ft. S | .40 | .30 | .25 |

| | each rate | 10 rate | 100 rate |
|--|--------------|------------|-------------|
| PYRACANTHA angustifolia NARROWLEAF FIRETHORN | | | |
| 1 ½ to 2 ft. S | 1.00 | .75 | .60 |
| 1 to 1 ½ ft. S | .75 | .60 | |
| gal. can, 2 ½ to 3 ft. S | .50 | .35 | .30 |
| 4 in. pot, 2 to 2 ½ ft. S | .40 | .30 | .25 |
| 4 in. pot, 1 ½ to 2 ft. S | .35 | .25 | .20 |
| 3 in. pot, 2 to 3 ft. S | .35 | .25 | .20 |
| coccinea lalandi, LALAND FIRETHORN | | | |
| 4 in. pot or gallon can 1 ½ to 2 ft. C & G | .50 | .40 | .25 |
| 4 in. pot, 8 to 12 in. C & G | .40 | .30 | .25 |
| 2 ½ in. pot, 3 to 6 in. C | .15 | .12 | .10 |
| coccinea (lalandi seedlings) | | | |
| 4 in. pot, 1 to 1 ½ ft. S | .35 | .25 | .20 |
| crenulata, NEPAL FIRETHORN | | | |
| 1 ½ to 2 ft. S | 1.00 | .75 | |
| 1 to 1 ½ ft. S | .75 | .60 | |
| gal. can, 2 to 3 ft. S | .50 | .40 | |
| gal. can, 1 ½ to 2 ft. S | .40 | .30 | |
| 4 in. pot, 1 ½ to 2 ft. S | .35 | .25 | .20 |
| 3 in. pot, 10 to 15 in. S | .25 | .20 | .15 |
| crenulata flava | | | |
| Bears good crop of light yellow berries which make it distinct from any other Pyracantha or Cotoneaster. | | | |
| 5 in. pot, 4 to 5 ft. S | .65 | .50 | |
| 5 in. pot, 3 to 4 ft. S | .50 | .40 | |
| 4 in. pot, 2 to 2 ½ ft. S | .40 | .30 | .25 |
| formosana, FORMOSA FIRETHORN | | | |
| 5 in. pot, 3 to 4 ft. C | .60 | .40 | |
| 5 in. pot, 2 to 3 ft. C | .50 | .35 | |
| 5 in. pot, 1 ½ to 2 ft. C | .40 | .30 | |
| 4 in. pot, 2 to 3 ft. S | .40 | .30 | .25 |
| 3 in. pot, 2 to 3 ft. S | .35 | .25 | .20 |
| 3 in. pot, 1 ½ to 2 ft. S | .30 | .20 | .15 |
| yunnanensis, YUNNAN FIRETHORN | | | |
| gal. can, 4 to 5 ft. S | .75 | .60 | .50 |
| gal. can or 5 in. pot, 2 to 3 ft. S | .50 | .35 | .30 |
| 3 in. pot, 2 to 3 ft. S | .35 | .25 | .20 |
| 3 in. pot, 1 ½ to 2 ft. S | .30 | .20 | .15 |
| standards, 5 in. pot, 4 ft. stem S | 1.00 | .75 | |
| QUERCUS agrifolia, CALIFORNIA LIVE OAK | | | |
| 4 in. pot, 1 ½ to 2 ft. S | .50 | .35 | .30 |
| chrysolepis, GOLDEN CUP OAK | | | |
| 5 in. pot, 1 to 1 ½ ft. S | .50 | .35 | .30 |
| 5 in. pot, 8 to 12 in. S | .40 | .30 | |
| RAPHIOLEPIS indica, INDIA HAWTHORN | | | |
| 1 to 1 ½ ft. S | .75 | .60 | |
| 8 to 12 in. S | .65 | .50 | |
| RHAMNUS alaternus variegatus VARIEGATED ITALIAN BUCKTHORN | | | |
| 4 in. pot, 1 ½ to 2 ft. C | .65 | .50 | .40 |
| 4 in. pot, 1 to 1 ½ ft. C | .50 | .40 | .35 |
| californica, CALIFORNIA BUCKTHORN | | | |
| 4 in. pot, 1 to 1 ½ ft. S | .40 | .30 | |
| RHODODENDRON, Himalayan | | | |
| 4 in. pot, 1 ½ to 2 ft. C | 1.00 | .75 | |
| 4 in. pot, 1 to 1 ½ ft. C | .85 | .65 | |
| Pink Pearl | | | |
| 1 to 1 ½ ft. G | 3.00 | 2.75 | |
| Assorted, Named Hybrids | | | |
| 10 to 15 in. G | 2.00 | 1.75 | |
| ROMNEYA coulteri COULTER CANYON-POPPY | | | |
| 4 in. pot, 6 to 8 in. S | .60 | .40 | |
| 4 in. pot, 3 to 6 in. S | .50 | .35 | |
| SCHINUS molle, CALIFORNIA PEPPERTREE | | | |
| 4 in. pot, 4 to 5 ft. S | .65 | .50 | .40 |
| 4 in. pot, 3 to 4 ft. S | .50 | .35 | .30 |
| 4 in. pot, 2 to 3 ft. S | .40 | .30 | .25 |
| SPARTIUM junceum, WEAVERS BROOM (Spanish Broom) | | | |
| 4 in. pot, 4 to 5 ft. S | .65 | .50 | .40 |
| 4 in. pot, 3 to 4 ft. S | .50 | .35 | .30 |
| 4 in. pot, 2 to 3 ft. S | .40 | .30 | .25 |
| junceum nanum DWARF SPANISH BROOM | | | |
| 4 in. pot, 1 ½ to 2 ft. G | .75 | .50 | .40 |

| | each rate | 10 rate | 100 rate |
|---|--------------|------------|-------------|
| STERCULIA diversifolia, BLACK KURRAJONG | | | |
| (Bottle tree) | | | |
| gal. can 3 to 4 ft. S | .75 | .50 | |
| gal. can 2 to 3 ft. S | .60 | .40 | .35 |
| gal. can 1½ to 2 ft. S | .50 | .35 | .30 |
| STRANVAESIA davidiana | | | |
| Introduced by U. S. Dept. of Agriculture. Bears large clusters of red berries. Perfectly hardy. Growth very vigorous and should be kept well pruned. | | | |
| 4 in. pot, 2 to 3 ft. S | .75 | .50 | .40 |
| 4 in. pot, 8 to 12 in. S | .40 | .30 | .25 |
| 2½ in. pot, 4 to 6 in. S | .30 | .20 | .15 |
| TEMPLETONIA retusa | | | |
| MELBOURNE CORALBUSH | | | |
| An uncommon plant. Bears a good crop of long, red, remotely pea-shaped flowers. | | | |
| 4 in. pot, 1 to 1½ ft. S | .50 | .35 | .30 |
| 4 in. pot, 8 to 12 in. S | .40 | .30 | .25 |
| TRISTANIA conferta, BRISBANE BOX | | | |
| 5 in. pot, 4 to 6 ft. S | .75 | .60 | |
| UMBELLULARIA californica | | | |
| CALIFORNIA-LAUREL | | | |
| 4 in. pot, 8 to 12 in. S | .40 | .30 | .25 |
| 4 in. pot, 6 to 8 in. S | .35 | .25 | .20 |
| VERONICA cupressoides | | | |
| 2 to 2½ ft. C | 1.00 | .60 | .50 |
| 1½ to 2 ft. C | .75 | .50 | .40 |
| traversi | | | |
| 12 to 15 in. C | .75 | .60 | |
| 10 to 12 in. C | .65 | .50 | |
| 2½ in. pot, 12 to 15 in. C | .25 | .20 | .15 |
| 2½ in. pot, 8 to 12 in. C | .20 | .15 | .12 |
| 2½ in. pot, 4 to 6 in. C | .15 | .12 | .10 |
| VIBURNUM odoratissimum | | | |
| SWEET VIBURNUM | | | |
| 2 to 3 ft. C | 1.25 | 1.00 | |
| 1½ to 2 ft. C | 1.00 | .75 | |
| 1 to 1½ ft. C | .85 | .60 | |
| 4 in. pot, 1½ to 2 ft. C | .50 | .40 | .35 |
| 4 in. pot, 4 to 6 in. C | .35 | .25 | .20 |
| rhytidophyllum | | | |
| LEATHERLEAF VIBURNUM | | | |
| A beautiful large shrub. Leaves long, wrinkled. Lower surface and young part of branches covered with brown down. Flow- ers white in large flat clusters followed by red berries which finally turn black. Quite hardy east. | | | |
| 8 to 10 ft. S | 5.00 | | |
| 6 to 8 ft. S | 4.00 | | |
| 4 to 6 ft. S | 3.00 | | |
| 4 in. pot, 6 to 8 in. S | .35 | .25 | .20 |
| 2½ in. pot, 4 to 6 in. S | .30 | .20 | .15 |
| 2½ in. pot, 2 to 4 in. S | .25 | .15 | .10 |
| suspensum, SANDANKWA VIBURNUM | | | |
| 3 to 4 ft. C | 1.50 | 1.25 | |
| 2 to 3 ft. C | 1.25 | .85 | .75 |
| 2½ in. pot, 4 to 6 in. C | .15 | .12 | .10 |
| tinus, LAURUSTINUS | | | |
| 2 to 3 ft. C | 1.25 | 1.00 | .75 |
| 1½ to 2 ft. C | 1.00 | .75 | .60 |
| 1 to 1½ ft. C | .75 | .60 | .50 |
| 4 in. pot, 1½ to 2 ft. C | .50 | .35 | .30 |
| 4 in. pot, 1 to 1½ ft. C | .40 | .30 | .25 |
| tinus lucidum, SHINING LAURUSTINUS | | | |
| 3 to 4 ft. C | 1.50 | 1.25 | |
| 2 to 3 ft. C | 1.25 | 1.00 | |
| 1½ to 2 ft. C | 1.00 | .75 | .60 |
| 1 to 1½ ft. C | .75 | .60 | .50 |
| 4 in. pot, 1 to 1½ ft. C | .40 | .30 | .25 |
| tinus variegatum | | | |
| VARIEGATED LAURUSTINUS | | | |
| 2 to 3 ft. C | 1.50 | 1.25 | |

Flowering Fruit Trees

All plants in this section will be "bare roots" unless otherwise stated. Our Almonds, Apricots, Cherries, Peaches and Plums are grown outside the Peach Root Borer district so can be shipped anywhere.

FLOWERING ALMONDS

| | each rate | 10 rate | 100 rate |
|--|--------------|------------|-------------|
| AMYGDALUS communis, Double Pink (tree) | | | |
| 6 to 7 ft. B | 1.00 | .75 | |

FLOWERING APPLES

MALUS floribunda purpurea

A very striking variety. Foliage bronzy purple, flowers profuse, purplish red. Vigorous grower.

| | | | |
|---------------------|------|-----|--|
| 8 to 10 ft. B | 1.25 | .85 | |
| 6 to 8 ft. B | 1.00 | .75 | |
| 4 to 6 ft. B | .85 | .60 | |
| 3 to 4 ft. B | .65 | .50 | |

ioensis bechteli, BECHTEL CRAB

Flowers double, very large, almost three inches broad, shell pink and intensely fragrant. Growth slow and bushy.

| | | | |
|--------------------------------|------|------|-----|
| 5 gal. can 6 ft. B | 1.75 | 1.50 | |
| bare roots 3 to 4 ft. B | 1.25 | .85 | .75 |
| bare roots 2 to 3 ft. B | .75 | .60 | .50 |
| bare roots 1½ to 2 ft. B | .65 | .50 | .40 |

niedzwetzkyana, REDVEIN CRAB

Flowers purplish red, large, semi-double. Vigorous.

| | | | |
|----------------------|------|------|--|
| 10 to 12 ft. B | 1.50 | 1.25 | |
| 8 to 10 ft. B | 1.25 | 1.00 | |
| 6 to 8 ft. B | 1.00 | .75 | |
| 4 to 6 ft. B | .75 | .60 | |
| 3 to 4 ft. B | .65 | .50 | |

scheideckeri, SCHEIDECKER CRAB

Flowers double pink of medium size. Borne in great profusion.

| | | | |
|--------------------|------|------|--|
| 6 to 8 ft. B | 1.25 | 1.00 | |
| 4 to 6 ft. B | 1.00 | .75 | |
| 3 to 4 ft. B | .75 | .60 | |

spectabilis, CHINESE FLOWERING CRAB

Flowers double pink in clusters.

| | | | |
|--------------------|------|-----|--|
| 3 to 4 ft. B | 1.00 | .75 | |
|--------------------|------|-----|--|

"Large Flesh Pink"

An unidentified form. Flowers rather large, double pink in clusters.

| | | | |
|----------------------|------|------|--|
| 10 to 12 ft. B | 1.50 | 1.25 | |
| 8 to 10 ft. B | 1.25 | 1.00 | |
| 6 to 8 ft. B | 1.00 | .75 | |
| 4 to 6 ft. B | .75 | .60 | |

FLOWERING APRICOTS

All the Japanese apricots are varieties of Prunus mume. The flowers resemble those of the flowering peaches but they have the great advantage of a pleasing carnation-like fragrance while peaches are scentless.

Dawn

The best Mume and one of the loveliest flowering trees. Flowers large, double with ruffled petals, rich pink. In Japan called Musashi-nono meaning "Valley of Fragrance."

| | | | |
|--------------------------------|------|------|-----|
| 5 gal. can, 6 to 7 ft. B | 1.50 | 1.00 | |
| bare roots 6 to 7 ft. B | 1.25 | .85 | .75 |

Double Red

| | | | |
|--------------------|------|-----|--|
| 3 to 4 ft. B | 1.00 | .75 | |
|--------------------|------|-----|--|

Early Double Pink

Colored like Dawn. Flowers a little smaller but about ten days earlier.

| | | | |
|-------------------------------|------|-----|-----|
| 5 gal. can 4 to 6 ft. B | 1.00 | .75 | |
| bare roots 6 to 7 ft. B | 1.00 | .75 | |
| bare roots 4 to 6 ft. B | .75 | .60 | .50 |
| bare roots 3 to 4 ft. B | .65 | .50 | .40 |

Praecox

Single white. Not only the earliest Mume but with us the earliest of all deciduous flowering trees or shrubs.

| | | | |
|--------------------|------|-----|--|
| 6 to 7 ft. B | 1.00 | .75 | |
| 4 to 6 ft. B | .75 | .60 | |
| 3 to 4 ft. B | .65 | .50 | |

FLOWERING CHERRIES

We have specialized on these beautiful trees for years and have the largest commercial collection in the U. S. A. All propagation is direct from our own specimen trees. They are correctly and authentically named. Below are descriptions of varieties still available for this season. Any further information will gladly be given on request.

ERECT GROWING VARIETIES

- AMANOGAWA.** Light pink, semi-double. Growth remarkably slender and upright requiring little space.
- ANEMONE.** Pink, semi-double. Flowers formed like Anemone or Hepatica. Bears a tremendous crop of flowers.
- ASAHI.** Pale pink, very double, 35 to 40 petals. Flowers borne on long stems. Somewhat similar to Victory but new leaves are green, not bronze.
- CAMPANULATA.** The only truly red cherry. Flowers single, bell shaped. Three weeks earlier than any other variety. Growth extremely vigorous.
- DAYBREAK.** An unidentified variety. Extremely early. Flowers single pink borne entirely before the leaves and in such profusion as to make the tree look like a cloud of pink. The most effective variety in our collection. Growth strong.
- GOSHOZAKURA.** Clear pink. Double. As Japanese name indicates, the flowers are almost always in clusters of five. Very pretty. Grows rather slowly.
- GYOIKO.** A very odd sort. Flowers are double and white variegated green or at times green variegated white. Occasionally flowers show pink stripes.
- HIZAKURA.** An excellent pink, deeper at edges and back of petals. Double, about 15 petals. Mid-season or slightly later. Good bloomer.
- JUGATSUZAKURA (*P. subhirtella autumnalis*).** Name means October cherry. This occasionally blooms in the Fall but usually in the very early Spring. Flowers are single, long narrow petals, light pink with cerise at the tips and on the back. Flowers nearly one inch in diameter. Very beautiful. Has the longest blooming period of all.
- KANZAN (*Sekiyama*).** A very beautiful double pink variety with extremely large flowers. Much like Naden but has fewer and larger petals.
- KURAMAYAMA.** A beautiful double flowered variety opening out rather flat. The center is flesh pink but marked with carmine at the edges. The petals are ruffled or frilled. Late.
- MIYAKO.** Flowers double and large, nearly two inches in diameter, almost white, faintly flushed. The center of the flower usually has several carpels which are green, or white veined green, giving it a unique appearance.
- MOMIJIGARI.** A subhirtella variety, so has small flowers which are red in the bud but open deep pink. Semi-double, about 15 petals. Very pleasing.
- NADEN.** One of the loveliest and most double of the pink flowered varieties. The petals are so numerous as to make the flower a perfect tuft showing no center. This is not the Naden of Wilson.
- SHIROTAE (*Mt. Fuji*).** The best double white. Flowers are large and double. Foliage light green. A good grower. Also known as Mt. Fuji and Komatsunagi-zakura.
- SHOGETSU.** Double, pale pink. Very free bloomer.
- TAIZANFUKUN.** Flowers of medium size, double and tufted. Light pink becoming flesh or nearly white. Leaves small. The tree grows unusually erect and slender.
- TAKASAGO.** This is the cherry that Wilson calls *Prunus sieboldi*. Flowers are double, light pink on rather short stems and massed into large compact clusters. Blooms early before the leaves appear. Very showy.
- TAKINIOI.** Flowers of medium size, single and semi-double. Buds flesh open flowers white. Valued for its delightful fragrance.
- UKON.** Unique in having yellow flowers, somewhat greenish. When the flowers get old the center and the veins of the petals change to cerise. A good grower. Late.
- VICTORY.** Also known as Shirofugen. Flowers extremely large, up to 2 1/2 inches diameter, borne in racemes of about three on a long stem. Very double, 35 to 40 petals. Coloring very unique. Flowers open a pale pink become white and then turn cerise. For this reason trees will always show white and pink flowers at the same time.
- YAMAZAKURA No. 67963.** A good double pink.

WEeping VARIETIES

These have a charm of their own. All are top worked on erect stems.

- DOUBLE PINK WEeping.** One of the scarcest varieties in our collection. Branches droop but not as strongly as the single weepers. Flowers are of medium size and double, 50 to 60 petals. Color deep pink. Has to be top grafted to make a good tree.
- EUREKA WEeping (*P. subhirtella pendula*; Japanese Weeping Rose Flowering Cherry).** This is the common, single flowered, light pink Weeping Japanese Cherry that has been grown in this country at least sixty years which is a tribute to its beauty and popularity.

PARK WEEPING (*P. aequiocetialis pendula rosea*). Introduced by us a few years ago. Somewhat like Eureka Weeping but differs in its more vigorous growth, type of foliage and most important the color of the flowers which are deep pink instead of light pink. Branches droop strongly but do not grow as directly downward as do those of Eureka Weeping.

SHIDAREYOSHINO. A weeping type of *P. yedoensis*. Very vigorous and decidedly weeping. Flowers larger than preceding sorts and pure white. Very scarce.

We have and propagate a good many additional varieties of Erect Growing Japanese Cherries but above list covers everything still available for this season.

ERECT GROWING VARIETIES

Bare root stock

| | each rate | 10 rate | 100 rate |
|-------------------------------|--------------|------------|-------------|
| All varieties | | | |
| bare roots 6 to 7 ft. B | 2.25 | 1.75 | 1.65 |
| bare roots 4 to 6 ft. B | 2.00 | 1.50 | 1.35 |
| bare roots 3 to 4 ft. B | 1.75 | 1.25 | 1.00 |

If choice of varieties is left to us we will furnish a good assortment all named and labelled at 10% off above prices, but not less than 5 of a kind.

In addition to stock quoted above we can spare a few fine specimen trees from five to ten years old. If interested call and see them if convenient, or write us.

Established stock

The following varieties have been in 5 gal. cans for one year so are thoroughly established, should bloom this spring and grow with no check.

| | | | |
|-------------------------------|------|------|--|
| Campanulata | | | |
| 5 gal. can 6 to 8 ft. B | 2.25 | 2.00 | |
| Daybreak | | | |
| 5 gal. can 6 to 7 ft. B | 2.25 | 1.75 | |
| Jugatsuzakura | | | |
| 5 gal. can 4 to 6 ft. B | 2.00 | 1.75 | |
| Kanzan | | | |
| 5 gal. can 4 to 6 ft. B | 2.00 | 1.75 | |
| Kuramayama | | | |
| 5 gal. can 4 to 6 ft. B | 2.00 | 1.75 | |
| Momijigari | | | |
| 5 gal. can 3 to 4 ft. B | 1.75 | 1.50 | |
| Naden | | | |
| 5 gal. can 6 to 7 ft. B | 2.25 | 2.00 | |
| Pink Pearl | | | |
| 5 gal. can 3 to 4 ft. B | 1.75 | 1.50 | |
| Takasago | | | |
| 5 gal. can 4 to 6 ft. B | 2.00 | 1.75 | |
| Ukon | | | |
| 5 gal. can 4 to 6 ft. B | 2.00 | 1.75 | |
| Victory | | | |
| 5 gal. can 4 to 6 ft. B | 2.00 | 1.75 | |
| 5 gal. can 3 to 4 ft. B | 1.75 | 1.50 | |

WEeping VARIETIES

| | | | |
|-------------------------------|------|------|------|
| Double Pink Weeping | | | |
| top worked 7 ft. stem G | 3.50 | 2.75 | |
| top worked 6 ft. stem G | 3.25 | 2.50 | |
| top worked 5 ft. stem G | 3.00 | 2.25 | 2.00 |
| top worked 4 ft. stem G | 2.75 | 2.00 | 1.75 |
| Eureka Weeping | | | |
| top worked 8 ft. stem G | 3.50 | 2.75 | |
| top worked 7 ft. stem G | 3.00 | 2.25 | |
| top worked 6 ft. stem G | 2.25 | 1.85 | |
| top worked 5 ft. stem G | 2.00 | 1.60 | |
| top worked 4 ft. stem G | 1.75 | 1.35 | 1.25 |
| Park Weeping | | | |
| top worked 8 ft. stem G | 3.50 | 2.75 | |
| top worked 7 ft. stem G | 3.00 | 2.25 | |
| top worked 6 ft. stem G | 2.25 | 1.85 | 1.75 |
| top worked 5 ft. stem G | 2.00 | 1.60 | 1.50 |
| top worked 4 ft. stem G | 1.75 | 1.35 | 1.25 |
| Shidareyoshino | | | |
| top worked 7 ft. stem G | 3.00 | 2.25 | |
| top worked 6 ft. stem G | 2.50 | 2.00 | |
| top worked 5 ft. stem G | 2.25 | 1.75 | |
| top worked 4 ft. stem G | 2.00 | 1.50 | 1.25 |

FLOWERING NECTARINES

Double Red

Very early. In fact much like Early Red Peach but has smooth skinned fruit so is a Nectarine.

| | | | |
|--------------------|------|-----|-----|
| 4 to 6 ft. B | 1.00 | .75 | .60 |
| 3 to 4 ft. B | .75 | .60 | .50 |

FLOWERING PEACHES

WEeping

The weeping peaches are scarce articles and make a striking appearance in the garden. The three varieties offered are sufficiently described by the names except Versicolored which has single flowers, variegated white and red.

| | each rate | 10 rate | 100 rate |
|-----------------------------|--------------|------------|-------------|
| Weeping Double Red | | | |
| 5 ft. stem B & G | 2.25 | 1.50 | 1.25 |
| 4 ft. stem B & G | 2.00 | 1.25 | 1.10 |
| Weeping Double White | | | |
| 5 ft. stem B & G | 2.25 | 1.50 | |
| 4 ft. stem B & G | 2.00 | 1.25 | |
| Weeping Versicolored | | | |
| 5 ft. stem B & G | 2.50 | 1.75 | |
| 4 ft. stem B & G | 2.25 | 1.50 | |

ERECT

Novelties and Specialties

| | | | |
|--------------------|------|-----|--|
| 4 to 6 ft. B | 1.25 | .75 | |
| 3 to 4 ft. B | 1.00 | .60 | |

San Jose Pink. Double pink and by far the earliest variety. Very valuable for cutting on account of its extreme earliness.
Versicolored B. Flowers double, red and white. A very striking color combination.

General Collection

| | | | |
|--------------------|------|-----|-----|
| 4 to 6 ft. B | 1.00 | .75 | .60 |
| 3 to 4 ft. B | .75 | .60 | .50 |

Burbank, double pink
 Camelliaflora, double red
 Clara Meyer, double pink
 Double Cerise, late
 Double Maroon
 Early Red, double red
 Versicolored A, double, red and pink

FLOWERING PLUMS

PRUNUS blirieana

Not at all a novelty on the Pacific Coast as we introduced it from Europe in 1917. Strangely enough it seems almost unknown in the East. It has purple leaves like P. pissardi and beautiful rich pink, full double flowers which are produced very early in astonishing profusion. Splendid for cutting.

| | | | |
|--------------------|------|------|-----|
| 6 to 7 ft. B | 1.25 | 1.00 | |
| 4 to 6 ft. B | 1.00 | .85 | .75 |

pissardi

Leaves purple, flowers single.

| | | | |
|--------------------|------|-----|-----|
| 6 to 8 ft. B | 1.00 | .75 | .65 |
| 4 to 6 ft. B | .75 | .60 | .50 |

triloba fl. pl.

DWARF DOUBLE FLOWERING PLUM

A shrub not a tree. Every branch covered with small extremely double pink flowers. Very dainty, handsome and an old favorite.

| | | | |
|--------------------|------|-----|-----|
| 4 to 5 ft. B | 1.00 | .75 | .60 |
| 3 to 4 ft. B | .75 | .60 | .50 |

Vesuvius

Burbank's variety. Valuable for its large deep purple leaves. Holds the foliage color later than any of the others.

| | | | |
|--------------------|------|-----|-----|
| 6 to 8 ft. B | 1.25 | .85 | |
| 4 to 6 ft. B | 1.00 | .75 | .60 |
| 3 to 4 ft. B | .75 | .60 | |

Deciduous Trees

All plants in this section will be dug with bare roots

| | each rate | 10 rate | 100 rate |
|--------------------------------------|--------------|------------|-------------|
| ACER dasycarpum, SILVER MAPLE | | | |
| 16 to 18 ft. S | 3.00 | 2.50 | |
| 14 to 16 ft. S | 2.50 | 1.75 | |
| 12 to 14 ft. S | 2.00 | 1.25 | 1.00 |
| 10 to 12 ft. S | 1.50 | 1.00 | .75 |
| 8 to 10 ft. S | 1.00 | .75 | .60 |
| 6 to 8 ft. S | .75 | .60 | .50 |

negundo argenteo-variegata

VARIEGATED BOXELDER

| | | | |
|-----------------------------------|------|-----|-----|
| well branched, 4 to 5 ft. B | 1.00 | .75 | |
| well branched, 3 to 4 ft. B | .75 | .50 | .40 |

platanoides, NORWAY MAPLE

| | | | |
|----------------------|------|------|-----|
| 14 to 16 ft. S | 2.50 | 2.00 | |
| 12 to 14 ft. S | 2.00 | 1.50 | |
| 10 to 12 ft. S | 1.50 | 1.00 | .90 |
| 8 to 10 ft. S | 1.25 | .85 | .75 |
| 6 to 8 ft. S | 1.00 | .75 | .60 |
| 4 to 6 ft. S | .75 | .60 | .50 |

platanoides schwedleri

SCHWEDLER MAPLE

This beautiful purple-leafed Maple is in heavy demand. We have a large stock so can make attractive prices.

| | | | |
|----------------------|------|------|-----|
| 10 to 12 ft. B | 2.00 | 1.50 | |
| 8 to 10 ft. B | 1.25 | 1.00 | .85 |
| 6 to 8 ft. B | 1.00 | .75 | .60 |
| 4 to 6 ft. B | .75 | .60 | .50 |
| 3 to 4 ft. B | .65 | .50 | .40 |

saccharum, SUGAR MAPLE

| | | | |
|----------------------|------|------|--|
| 10 to 12 ft. S | 1.50 | 1.25 | |
| 8 to 10 ft. S | 1.25 | 1.00 | |
| 6 to 8 ft. S | 1.00 | .75 | |
| 4 to 6 ft. S | .75 | .60 | |

BETULA pendula (B. alba)

EUROPEAN WHITE BIRCH

| | | | |
|----------------------|------|------|------|
| 12 to 14 ft. S | 2.50 | 2.00 | |
| 10 to 12 ft. S | 2.00 | 1.50 | 1.25 |
| 8 to 10 ft. S | 1.75 | 1.25 | 1.00 |
| 6 to 8 ft. S | 1.25 | 1.00 | .75 |
| 4 to 6 ft. S | 1.00 | .75 | .60 |

pendula gracilis

CUTLEAF WEEPING BIRCH

Trees offered are splendid in every way. A large stock accounts for low prices. We can supply in carload lots.

| | | | |
|----------------------|------|------|------|
| 14 to 16 ft. B | 3.50 | 2.50 | |
| 12 to 14 ft. B | 3.00 | 2.00 | 1.75 |
| 10 to 12 ft. B | 2.00 | 1.50 | 1.25 |
| 8 to 10 ft. B | 1.75 | 1.25 | 1.00 |
| 6 to 8 ft. B | 1.50 | 1.00 | .75 |
| 5 to 6 ft. B | 1.00 | .75 | .65 |

pendula youngi

YOUNGS WEEPING BIRCH

Has the usual white trunk and same foliage as European. It is entirely different in habit from Cut-leaf Birch as the main branches droop irregularly giving the tree an artistic appearance entirely free from formality or stiffness.

| | | | |
|----------------------|------|------|------|
| 12 to 14 ft. B | 4.00 | 2.50 | |
| 10 to 12 ft. B | 3.00 | 2.25 | |
| 8 to 10 ft. B | 2.50 | 2.00 | |
| 7 to 8 ft. B | 2.00 | 1.50 | |
| 6 to 7 ft. B | 1.75 | 1.25 | 1.00 |
| 5 to 6 ft. B | 1.50 | 1.00 | .85 |
| 4 to 5 ft. B | 1.25 | .75 | .65 |

CATALPA bungei, MANCHURIAN CATALPA

| | | | |
|---------------------------------|------|------|--|
| top worked, 8 to 10 ft. G | 1.50 | 1.25 | |
|---------------------------------|------|------|--|

CRATAEGUS

All Hawthorns offered this year are two or more years from the bud so are well branched and the majority of them will flower next Spring.

carrierei, CARRIERE HAWTHORN

Dark green foliage and clusters of large lustrous red berries which are borne from second year on.

| | | | |
|---------------------|------|------|------|
| 8 to 10 ft. B | 2.00 | 1.50 | |
| 6 to 8 ft. B | 1.50 | 1.25 | 1.00 |
| 4 to 6 ft. B | 1.25 | .85 | .75 |
| 3 to 4 ft. B | 1.00 | .70 | .60 |

CRATAEGUS (Continued)

| | each rate | 10 rate | 100 rate |
|--|--------------|------------|-------------|
| coccinioides | | | |
| Native of eastern U. S. Large leaves and a fine crop of large red berries. | | | |
| 8 to 10 ft. B | 2.00 | 1.25 | |
| 6 to 8 ft. B | 1.50 | 1.00 | .85 |
| 4 to 6 ft. B | 1.25 | .75 | .65 |
| 3 to 4 ft. B | 1.00 | .60 | |
| cordata, WASHINGTON THORN | | | |
| Leaves glossy and color beautifully in the fall. Berries small but borne profusely in clusters. A great favorite. | | | |
| 8 to 10 ft. B | 2.50 | 1.75 | |
| 6 to 8 ft. B | 2.00 | 1.25 | 1.00 |
| 4 to 6 ft. B | 1.25 | .85 | .75 |
| 3 to 4 ft. B | 1.00 | .70 | .60 |
| monogyna plena, DOUBLE WHITE HAWTHORN | | | |
| 10 to 12 ft. B | 2.50 | 1.75 | |
| 8 to 10 ft. B | 2.00 | 1.50 | 1.25 |
| 6 to 8 ft. B | 1.75 | 1.25 | 1.00 |
| 4 to 6 ft. B | 1.25 | 1.00 | .75 |
| monogyna roseo-plena, DOUBLE PINK HAWTHORN | | | |
| 12 to 14 ft. B | 3.50 | 2.50 | |
| 10 to 12 ft. B | 2.50 | 1.75 | |
| 8 to 10 ft. B | 2.00 | 1.50 | 1.25 |
| 6 to 8 ft. B | 1.75 | 1.25 | 1.00 |
| 4 to 6 ft. B | 1.25 | 1.00 | .75 |
| oxyacantha, SINGLE WHITE HAWTHORN | | | |
| 8 to 10 ft. S | 1.50 | 1.25 | 1.00 |
| 6 to 8 ft. S | 1.25 | 1.00 | .75 |
| 4 to 6 ft. S | 1.00 | .75 | .60 |
| oxyacantha splendens | | | |
| PAUL DOUBLE SCARLET HAWTHORN | | | |
| 10 to 12 ft. B | 2.50 | 1.75 | 1.50 |
| 8 to 10 ft. B | 2.00 | 1.50 | 1.25 |
| 6 to 8 ft. B | 1.50 | 1.00 | .85 |
| 4 to 6 ft. B | 1.00 | .75 | .65 |
| pinnatifida major, PEKING HAWTHORN | | | |
| A new variety imported from China. Fruited with us the past summer. Berries are as large as small crab-apples, an inch or more in diameter, bright red and edible. | | | |
| branched, 10 to 12 ft. S | 2.50 | 1.75 | |
| branched, 8 to 10 ft. S | 2.00 | 1.50 | |
| branched, 6 to 8 ft. S | 1.75 | 1.25 | |
| FRAXINUS velutina, ARIZONA ASH | | | |
| 8 to 10 ft. S | 1.25 | 1.00 | .75 |
| 6 to 8 ft. S | 1.00 | .75 | .60 |
| 4 to 6 ft. S | .85 | .60 | .50 |
| GINKGO biloba, MAIDENHAIR-TREE | | | |
| 3 to 4 ft. S | 1.00 | .75 | |
| 2 to 3 ft. S | .75 | .60 | |
| 1½ to 2 ft. S | .65 | .50 | |
| KOELREUTERIA integrifolia | | | |
| GOLDENRAIN-TREE | | | |
| A vigorous small tree with attractive pinnate foliage and bearing enormous clusters of small yellow flowers which can be used in florist work. | | | |
| 8 to 10 ft. | 1.50 | 1.25 | |
| 6 to 8 ft. | 1.25 | 1.00 | |
| 4 to 6 ft. | 1.00 | .75 | |
| 3 to 4 ft. | .75 | .60 | |
| LABURNUM vulgare | | | |
| 4 to 6 ft. | 1.25 | .75 | |
| 3 to 4 ft. | 1.00 | .60 | |
| 2 to 3 ft. | .75 | .50 | |
| MORUS alba pendula, WEEPING MULBERRY | | | |
| 7 ft. stem, extra heavy B | 2.50 | 1.75 | 1.50 |
| 6 ft. stem, extra heavy B | 2.00 | 1.50 | |
| 5 ft. stem, extra heavy B | 1.75 | 1.25 | |
| 7 ft. stem, 2 yr. B | 1.75 | 1.25 | 1.00 |
| 6 ft. stem, 2 yr. B | 1.50 | 1.00 | .85 |
| PAULOWNIA tomentosa | | | |
| ROYAL PAULOWNIA | | | |
| 12 to 14 ft. S | 2.50 | 1.75 | |
| 10 to 12 ft. S | 2.00 | 1.50 | |
| PISTACIA chinensis, CHINESE PISTACHE | | | |
| One of the few trees that take on high autumnal colors in California. Leaves pinnate. Small tree. | | | |
| 4 in. pot, 3 to 4 ft. S | .50 | .40 | |

| | each rate | 10 rate | 100 rate |
|---|--------------|------------|-------------|
| PLATANUS orientalis | | | |
| EUROPEAN SYCAMORE | | | |
| EUROPEAN PLANETREE | | | |
| Trees offered are not the light one or two year stock frequently offered, but from three to five years with straight trunks, well developed heads and thoroughly fine in every way. We can furnish in carload lots. | | | |
| 16 to 18 ft. C | 3.00 | 2.00 | |
| 14 to 16 ft. C | 2.00 | 1.50 | 1.25 |
| 12 to 14 ft. C | 1.75 | 1.25 | 1.00 |
| 10 to 12 ft. C | 1.50 | 1.00 | .80 |
| 8 to 10 ft. C | 1.25 | .75 | .60 |
| 6 to 8 ft. C | 1.00 | .60 | .50 |
| 4 to 6 ft. C | .75 | .50 | .40 |
| racemosus, CALIFORNIA SYCAMORE | | | |
| CALIFORNIA PLANETREE | | | |
| 12 to 14 ft. C | 2.00 | 1.50 | |
| 10 to 12 ft. C | 1.75 | 1.25 | 1.00 |
| 8 to 10 ft. C | 1.50 | 1.00 | .75 |
| 6 to 8 ft. C | 1.25 | .75 | .60 |
| 4 to 6 ft. C | 1.00 | .60 | .50 |
| POPULUS alba bolleana BOLLEANA POPLAR | | | |
| Growth is slender and erect same as Lombardy Poplar but bark is smooth greenish gray and leaves are very silvery. | | | |
| 12 to 14 ft. C | 2.00 | 1.25 | |
| 4 to 6 ft. C | .75 | .60 | |
| nigra italica, LOMBARDY POPLAR | | | |
| Our trees have never been pruned so are branched from the very base. | | | |
| 20 to 25 ft. | 3.00 | 2.00 | 1.50 |
| 18 to 20 ft. | 2.50 | 1.50 | 1.25 |
| 16 to 18 ft. | 2.00 | 1.25 | 1.00 |
| 14 to 16 ft. | 1.50 | 1.00 | .90 |
| 12 to 14 ft. | 1.25 | .90 | .80 |
| 10 to 12 ft. | 1.00 | .80 | .70 |
| 8 to 10 ft. | .90 | .70 | .60 |
| 6 to 8 ft. | .80 | .60 | .50 |
| tremula pendula | | | |
| WEeping POPLAR; WEEPING ASPEN | | | |
| top worked, 12 ft. stem G | 2.50 | 2.00 | |
| top worked, 10 ft. stem G | 2.25 | 1.75 | |
| top worked, 9 ft. stem G | 2.00 | 1.50 | |
| top worked, 8 ft. stem G | 1.75 | 1.25 | |
| top worked, 7 ft. stem G | 1.50 | 1.00 | |
| low worked, 8 to 10 ft. G | 1.50 | 1.00 | |
| low worked, 6 to 8 ft. G | 1.00 | .75 | |
| ROBINIA hispida macrophylla | | | |
| SMOOTH ROSE-ACACIA | | | |
| top worked, 8 ft. stem G | 3.00 | 2.25 | |
| low worked, 8 to 10 ft. G | 2.00 | 1.50 | |
| low worked, 6 to 8 ft. G | 1.75 | 1.25 | |
| low worked, 4 to 6 ft. G | 1.50 | 1.00 | |
| low worked, 3 to 4 ft. G | 1.25 | .75 | |
| kelseyi, KELSEY LOCUST | | | |
| Quick grower and free bloomer. Flowers purplish pink. Distinct. | | | |
| 12 to 14 ft. G | 2.50 | 2.00 | |
| 10 to 12 ft. G | 2.25 | 1.75 | |
| 8 to 10 ft. G | 2.00 | 1.50 | |
| pseudacacia decaisneana, | | | |
| PINK LOCUST; DECAISNE LOCUST | | | |
| 6 to 8 ft. G | 1.50 | 1.10 | 1.00 |
| 4 to 6 ft. G | 1.25 | .85 | .75 |
| SALIX babylonica | | | |
| BABYLON WEEPING WILLOW | | | |
| 8 to 10 ft. C | 1.25 | .85 | .75 |
| 6 to 8 ft. C | 1.00 | .70 | .60 |
| 4 to 6 ft. C | .75 | .60 | .50 |
| babylonica annularis, RINGLEAF WILLOW | | | |
| Every leaf curls into a little ring. Less drooping than common variety. | | | |
| 8 to 10 ft. C | 1.25 | 1.00 | |
| 6 to 8 ft. C | 1.00 | .75 | .60 |
| 4 to 6 ft. C | .85 | .65 | .50 |
| SORBUS aucuparia | | | |
| EUROPEAN MOUNTAIN-ASH | | | |
| 8 to 10 ft. S | 1.50 | 1.25 | |
| 4 to 6 ft. S | 1.00 | .75 | .60 |
| aucuparia pendula | | | |
| WEeping MOUNTAIN-ASH | | | |
| top worked, 6 ft. stem G | 2.00 | 1.50 | 1.25 |
| TILIA americana, AMERICAN LINDEN | | | |
| 10 to 12 ft. S | 1.50 | 1.25 | |
| 8 to 10 ft. S | 1.25 | 1.00 | |

Deciduous Shrubs

Unless otherwise stated all plants in this section will be "bare roots"

| | each rate | 10 rate | 100 rate |
|---|--------------|------------|-------------|
| ARONIA arbutifolia, RED CHOKEBERRY | | | |
| 4 in. pot, 1 to 1 1/2 ft. S | .35 | .25 | |
| CAESALPINIA gilliesi (Poinciana) | | | |
| BIRD OF PARADISE | | | |
| Foliage acacia-like. Flowers yellow with long-protruding red stamens. Blooms all summer and fall. Splendid for hot and dry localities. | | | |
| 4 to 6 ft. S | .75 | .60 | .50 |
| 3 to 4 ft. S | .65 | .50 | .40 |
| 2 to 3 ft. S | .50 | .40 | .35 |
| CARYOPTERIS incana | | | |
| COMMON BLUEBEARD | | | |
| 3 to 4 ft. C | .50 | .35 | |
| CORNUS kousa, KOUSA DOGWOOD | | | |
| 1 1/2 to 2 ft. S | .50 | .40 | |
| CYDONIA cathayensis | | | |
| 4 to 5 ft. S | 1.00 | .75 | |
| 3 to 4 ft. S | .75 | .60 | |
| Note that all our Japanese Quinces (except pigmaea) are grown from cuttings or grafts. Seedlings of C. japonica are commonly offered very cheap but they are worthless as a rule. | | | |
| japonica, SCARLET FLOWERING QUINCE | | | |
| The old favorite. Flowers bright red. Growth bushy and erect. | | | |
| 4 to 6 ft. C & G | 1.25 | .85 | .75 |
| 3 to 4 ft. C & G | 1.00 | .75 | .65 |
| 2 to 3 ft. C & G | .65 | .50 | .40 |
| 1 1/2 to 2 ft. C & G | .50 | .40 | .35 |
| 1 to 1 1/2 ft. C & G | .40 | .30 | .25 |
| japonica candida | | | |
| WHITE FLOWERING QUINCE | | | |
| 1 1/2 to 2 ft. G | .65 | .50 | |
| 1 to 1 1/2 ft. G | .50 | .40 | |
| japonica pigmaea | | | |
| This comes fairly true from seed. Very dwarf. Flowers salmon. | | | |
| 1 1/2 to 2 ft. S | .75 | .60 | |
| 1 to 1 1/2 ft. S | .65 | .50 | .40 |
| 8 to 12 in. S | .50 | .40 | |
| japonica rubra grandiflora | | | |
| BLOOD RED FLOWERING QUINCE | | | |
| 3 to 4 ft. C & G | 1.25 | 1.00 | |
| 2 to 3 ft. C & G | 1.00 | .75 | .65 |
| 1 to 1 1/2 ft. C & G | .75 | .50 | .40 |
| japonica sanguinea | | | |
| CRIMSON FLOWERING QUINCE | | | |
| Flowers very deep red. Differs decidedly from Scarlet Flowering in color. Growth lower and more spreading. Blooms spring and fall. Nearly evergreen. | | | |
| 3 to 4 ft. C | 1.00 | .75 | |
| 2 to 3 ft. C | .75 | .60 | .50 |
| 1 1/2 to 2 ft. C | .65 | .50 | |
| DEUTZIA gracilis, SLENDER DEUTZIA | | | |
| 1 to 1 1/2 ft. C | .40 | .25 | |
| magnifica | | | |
| Comparatively new. Best of all Deutzias. Flowers pure white in extraordinary profusion. | | | |
| 6 to 8 ft. C | 1.25 | 1.00 | |
| 3 to 4 ft. C | .75 | .60 | |
| 2 to 3 ft. C | .65 | .50 | |
| rosea, ROSE PANICLE DEUTZIA | | | |
| 6 to 8 ft. C | 1.00 | .75 | |
| 4 to 6 ft. C | .75 | .60 | |
| 3 to 4 ft. C | .65 | .50 | |
| 2 to 3 ft. C | .50 | .40 | .35 |
| 1 1/2 to 2 ft. C | .40 | .30 | .25 |
| FORSYTHIA intermedia | | | |
| BORDER FORSYTHIA | | | |
| 2 to 3 ft. C | .50 | .40 | |
| 1 1/2 to 2 ft. C | .40 | .30 | |
| 1 to 1 1/2 ft. C | .30 | .25 | |
| intermedia spectabilis | | | |
| SHOWY BORDER FORSYTHIA | | | |
| 1 1/2 to 2 ft. C | .50 | .40 | |
| 1 to 1 1/2 ft. C | .40 | .30 | |

| | each rate | 10 rate | 100 rate |
|--|--------------|------------|-------------|
| HIBISCUS syriacus, SHRUB ALTHEA | | | |
| assorted named varieties | | | |
| 6 to 7 ft. C | 1.00 | .75 | |
| 4 to 6 ft. C | .75 | .60 | |
| 3 to 4 ft. C | .65 | .50 | |
| KERRIA japonica fl. pl., DOUBLE KERRIA | | | |
| 3 to 4 ft. C | .75 | .50 | .40 |
| 2 to 3 ft. C | .50 | .40 | .30 |
| 1½ to 2 ft. C | .40 | .30 | .25 |
| LAGERSTROEMIA indica rosea | | | |
| PINK CRAPE MYRTLE | | | |
| 1½ to 2 ft. C | .50 | .40 | |
| 1 to 1½ ft. C | .40 | .30 | |
| PHILADELPHUS; MOCKORANGE OR SYRINGA | | | |
| Albatre | | | |
| One of the best of the newer kinds. Flowers very large, semi-double, snow white. | | | |
| 2 to 3 ft. C | .75 | .60 | |
| 1½ to 2 ft. C | .65 | .50 | |
| 1 to 1½ ft. C | .50 | .40 | |
| Avalanche | | | |
| 8 to 10 ft. C | 1.00 | .75 | |
| Bouquet Blanc | | | |
| 6 to 8 ft. C | 1.00 | .75 | |
| coronarius, SWEET MOCKORANGE | | | |
| 3 to 4 ft. C | .50 | .40 | |
| 2 to 3 ft. C | .40 | .30 | |
| 1½ to 2 ft. C | .30 | .25 | |
| Dame Blanche | | | |
| 2 to 3 ft. C | .65 | .50 | |
| Favorite | | | |
| 8 to 10 ft. C | 1.00 | .75 | |
| Girandole | | | |
| 2 to 3 ft. C | .75 | .50 | |
| 1½ to 2 ft. C | .60 | .40 | |
| 1 to 1½ ft. C | .50 | .35 | |
| grandiflorus, BIG SCENTLESS MOCKORANGE | | | |
| 6 to 8 ft. C | 1.00 | .75 | |
| 3 to 4 ft. C | .50 | .40 | |
| 2 to 3 ft. C | .40 | .30 | |
| 1½ to 2 ft. C | .35 | .25 | |
| speciosus | | | |
| 4 to 6 ft. C | .75 | .60 | |
| Virginale | | | |
| One of the outstanding new varieties. Flowers very large in fine clusters. | | | |
| 2 to 3 ft. C | .65 | .50 | |
| 1½ to 2 ft. C | .50 | .40 | |
| PUNICA, granatum | | | |
| COMMON POMEGRANATE | | | |
| Double Scarlet | | | |
| 4 to 5 ft. C | 1.00 | .65 | .50 |
| 3 to 4 ft. C | .75 | .50 | .40 |
| Double Variegated | | | |
| Also known as M me. Legrelle. Flowers double, red variegated with creamy yellow. | | | |
| 4 to 6 ft. C | 1.00 | .75 | |
| 3 to 4 ft. C | .75 | .50 | .40 |
| 2 to 3 ft. C | .50 | .40 | .35 |
| Double Yellow | | | |
| 6 to 8 ft. C | .75 | .60 | |
| granatum nana, DWARF POMEGRANATE | | | |
| balled 1½ to 2 ft. C | 1.00 | .75 | |
| balled 8 to 12 in. C | .65 | .50 | |
| 4 in. pot 10 to 15 in. C | .50 | .35 | .30 |
| 3 in. pot 8 to 10 in. S | .40 | .25 | .20 |
| SPIREA Anthony Waterer | | | |
| 2 to 3 ft. C | .75 | .60 | |
| 1½ to 2 ft. C | .65 | .50 | |
| froebeli, FROEBEL SPIREA | | | |
| Flowers wine colored in flat clusters like A. Waterer. Growth much stronger. | | | |
| 2 to 3 ft. C | .40 | .30 | .25 |
| 1½ to 2 ft. C | .35 | .25 | .20 |
| prunifolia plena | | | |
| DOUBLE BRIDAL WREATH | | | |
| 3 to 4 ft. C | .65 | .50 | .40 |
| 2 to 3 ft. C | .50 | .40 | .35 |
| reevesiana lanceolata | | | |
| DOUBLE REEVES SPIREA | | | |
| Quite a favorite in California as here the foliage is practically evergreen. | | | |
| 1½ to 2 ft. C | .50 | .40 | |
| 1 to 1½ ft. C | .40 | .30 | .25 |
| vanhouttei, VANHOUTTE SPIREA | | | |
| 3 to 4 ft. C | .65 | .50 | |

SYRINGA chinensis (rothomagensis)**CHINESE LILAC**

Also known as Rouen Lilac. It is a hybrid between Common and Persian Lilac and in California is generally known as Persian. Makes long slender branches which are covered with flowers on the upper 15 or 18 inches. Excellent to cut.

| | | | each rate | 10 rate | 100 rate |
|--------------------------------------|----|---------|--------------|------------|-------------|
| 6 | to | 8 ft. C | 1.25 | 1.00 | |
| 4 | to | 6 ft. C | 1.00 | .75 | |
| 3 | to | 4 ft. C | .75 | .60 | .50 |
| vulgaris, COMMON PURPLE LILAC | | | | | |
| 4 | to | 6 ft. S | 1.00 | .75 | |
| 3 | to | 4 ft. S | .75 | .60 | .50 |
| 2 | to | 3 ft. S | .65 | .50 | .40 |

Lilacs**Named Varieties**

All our Lilacs are pinched when a few inches high so all sizes are branched and practically all will bloom the first season.

NOVELTIES

| | | | each rate | 10 rate | 100 rate |
|----|----|----------|--------------|------------|-------------|
| 4 | to | 6 ft. B | 1.75 | 1.50 | |
| 3 | to | 4 ft. B | 1.50 | 1.25 | |
| 2 | to | 3 ft. B | 1.25 | 1.00 | |
| 1½ | to | 2 ft. B | 1.00 | .75 | |
| 1 | to | 1½ ft. B | .75 | .60 | |

In order to show what sizes are available for each variety we use letters following each name. The code is as follows:

A for 8 to 10 ft. E for 2 to 3 ft.
B for 6 to 8 ft. F for 1½ to 2 ft.
C for 4 to 6 ft. G for 1 to 1½ ft.
D for 3 to 4 ft.

Capt. Baltet—Single. Violet lilac. E-F-G.

Jan Van Tol—Single white. Both the clusters and the individual flowers are of enormous size. A very good grower and free bloomer. Very fine. E-F-G.

Maurice Barres—Single. Mauve opening lilac blue. E.

Mme. Francisque Morel—Double. Light creamy lilac. Very fine. E-F-G.

Mrs. Edward Harding—Double. "Bright carmine rose. Bears big panicles of large full flowers. Awarded the special prize founded by Mrs. Edw. Harding for the best double red lilac." This is the introducer's description. Has not flowered with us as yet. E-F-G.

Pres. Faillieres—Double. Lavender pink. Color charming. Trusses simply enormous. Flowers large and very double. Truly magnificent and easily the best. E-F-G.

Pres. Poincare—Double. Claret mauve. Clusters of unusual size, very compact, with very large flowers. One of the best. C-D-E-F.

Reaumur—Single. Violet carmine. Buds deep purple. Clusters rather long, single or forked. Very good. E-F.

GENERAL COLLECTION

Includes introductions of 1928

Letters after description indicate available sizes as explained above.

| | | | | | |
|----|----|----------|------|------|-----|
| 8 | to | 10 ft. B | 2.00 | 1.50 | |
| 6 | to | 8 ft. B | 1.50 | 1.25 | |
| 4 | to | 6 ft. B | 1.25 | 1.00 | .75 |
| 3 | to | 4 ft. B | 1.00 | .75 | .60 |
| 2 | to | 3 ft. B | .75 | .60 | .50 |
| 1½ | to | 2 ft. B | .60 | .50 | .40 |
| 1 | to | 1½ ft. B | .50 | .40 | .35 |

DOUBLE VARIETIES

***Berryer**—Mauve. Petals curly. Free bloomer. E-F.

Chas. Sargent—Violet mauve blended sky blue; enormous flowers and clusters. E-F-G.

***Claude Bernard**—Bright mauve. Included in the "Early Lilacs" but really in a class by itself and distinct from all others. Petals are long and wavy or twisted. Largest flowers are an inch broad. Very fine. A-B-C.

Condorcet—Almost pure blue. Semi-double. F-G.

Edith Cavell—Milk white. Buds tinted deep cream. Handsome. E-F-G.

Edouard Andre—Rose or nearly pink. F-G.

Ellen Willmott—Snow white. Elegant spikes; fine large flowers of the "hose in hose" type. G.

Emile Gentile—Bright cobalt-blue. B.

Georges Bellair—Carmine becoming purple. Very profuse and compact. G.

Hippolyte Maringer—Purplish mauve; compact clusters. D-E-F.

Jean Bart—Carmine becoming rosy purple. Petals sharp and twisted. Unique. E.

Jean Mace—Mauve changing to bluish purple. Very good. B-F.

Jeanne d'Arc—White. Flowers very large. Very early, profuse and fine in every way. E-F-G.

La Tour d'Auvergne—Dark lilac. Good. F-G.

Leon Gambetta—Pink-lilac. Early. Among the best. C-D-E-F-G.

Marechal Lannes—Mauve becoming pinkish blue. Beautiful color. E-F-G.

DOUBLE VARIETIES (Continued)

- Maximowicz**—Violet heliotrope. Clusters long and well filled. F-G.
Montaigne—Pinkish mauve. Very large clusters. C-D-E.
President Loubet—Deep purple becoming reddish lilac. D-E.
President Viger—Purple becoming lilac. Clusters large and dense. E-F.
***Vauban**—Pale mauve pink. Panicles large. Delicious fragrance. Extremely free bloomer. Strong grower. A-B-C-D-E.
Victor Lemoine—Pinkish purple becoming mauve blue. Clusters much forked. Strong fragrance. D-E.
Waldeck-Rousseau—Double. Deep violet flowers, borne in long trusses. E-F.

SINGLE VARIETIES

- *Buffon**—Flowers large, pink shaded mauve. B-E-F-G.
Christopher Columbus—Opens clear blue. Late. E-F-G.
De Miribel—Dark bluish violet. Very late. D-E-F-G.
***Descartes**—Mauve blue. Exceedingly free blooming. Flowers before leaves appear. B-C-D-E-F-G.
Diderot—Deep purple; buds almost black. Clusters very long and narrow. G.
Dr. Breitschneider—Pure pink. Blooms on new wood, hence late. E-F-G.
Dr. Lindley—Brilliant violet-purple, buds red. Fine regular clusters. E-F-G.
Edmond Boissier—Dark purple. Flowers very large. E-F-G.
Glorie de Lorraine—Dark lilac becoming blue. E-F.
Hugo Koster—Reddish purple. Clusters of good size and regular form. E-F-G.
***Lamartine**—Mauve pink. Clusters much forked. Flowers large. Extremely vigorous and one of the earliest. A-B-E-F-G.
***Louvois**—Purple becoming blue. Clusters extra large. D-E-F-G.
Ludwig Spaeth—Dark purple. Clusters long and slender. Late. D-E-F.
Lutece—Pink. Very late. Blooms on new wood. C-D-E-F.
Marie Le Graye—White. Early. An old favorite. D-E-F-G.
***Mirabeau**—Mauve. The earliest of all. Extremely vigorous. B-C-E-F.
Mont Blanc—White. Large flowers and clusters. Very fragrant. D-E-F-G.
Perle von Stuttgart—Pure white. Both flowers and clusters very large. C-D-E-F-G.
Vestale—White. Flowers large. Our earliest white variety. Very fine. D-E-F-G.
***Varieties starred are the new "Early Lilacs."** These are hybrids between *Syringa giraldi* and the earliest varieties of *S. vulgaris*. They are very distinct from previous varieties in both appearance and habit. They are ten days to two weeks earlier and the clusters are borne well above the foliage at the ends of long erect branches. Leaves are only partially developed when they bloom. These features give them very great value as cut flowers. We recommend them highly.

TAMARIX pentandra

FIVE STAMEN TAMARIX

This is the pink flowering type that blooms all summer. Also called *T. hispida aestivalis*.

| | | each rate | 10 rate | 100 rate |
|---|------------------|--------------|------------|-------------|
| 6 | to 8 ft. C | .65 | .50 | .40 |
| 4 | to 6 ft. C | .50 | .40 | .35 |

VIBURNUM opulus sterile

COMMON SNOWBALL

| | | | | |
|---|------------------|-----|-----|-----|
| 3 | to 4 ft. C | .75 | .60 | .50 |
| 2 | to 3 ft. C | .65 | .50 | .40 |

WEIGELA

Chameleon

Has both pink and white flowers at the same time.

| | | | | |
|-----|------------------|-----|-----|--|
| 2 | to 3 ft. C | .50 | .40 | |
| 1 ½ | to 2 ft. C | .40 | .30 | |

nana variegata

| | | | | |
|-----|------------------|-----|-----|--|
| 2 | to 3 ft. C | .65 | .50 | |
| 1 ½ | to 2 ft. C | .50 | .40 | |

rosea, PINK WEIGELA

| | | | | |
|-----|--------------------|-----|-----|-----|
| 2 | to 3 ft. C | .65 | .50 | |
| 1 ½ | to 2 ft. C | .50 | .35 | .30 |
| 1 | to 1 ½ ft. C | .40 | .30 | .25 |

Climbers

| | each rate | 10 rate | 100 rate |
|---|--------------|------------|-------------|
| EUONYMUS radicans acutus SHARPLEAF WINTERCREEPER | | | |
| 4 in. pot, 1 ½ to 2 ft. C | .35 | .25 | .20 |
| GELSEMIUM sempervirens CAROLINA JESSAMINE | | | |
| 4 in. pot, 1 ½ to 2 ft. C | .40 | .30 | |
| HARDENBERGIA monophylla (pink) | | | |
| 4 in. pot, 1 to 1 ½ S | .35 | .25 | |
| monophylla alba (white) | | | |
| 5 in. pot, 3 to 4 ft. S | .50 | .35 | |
| monophylla lilacina (blue) | | | |
| 4 in. pot, 2 to 3 ft. S | .75 | .50 | .40 |
| 4 in. pot, 1 ½ to 2 ft. S | .50 | .35 | .30 |
| HEDERA canariensis variegata YELLOWEDGE ALGERIAN IVY | | | |
| This is the beautiful large leafed Ivy which has red leafstalks and conspicuous creamy variegation. Also called Madeira Ivy. | | | |
| 4 in. pot, 6 to 12 in. C | .50 | .35 | |
| helix marmorata | | | |
| Very small leaves with white variegation. | | | |
| 4 in. pot, 1 to 2 ft. C | .40 | .30 | .25 |
| JASMINUM beesianum, ROSY JASMINE | | | |
| 4 in. pot, 3 to 4 ft. C | .40 | .30 | .25 |
| 4 in. pot, 2 to 3 ft. C | .35 | .25 | .20 |
| 2 ½ in. pot, 1 ½ to 2 ft. C | .20 | .15 | .10 |
| grandiflorum, SPANISH JASMINE | | | |
| 5 in. pot, 2 to 3 ft. C | .75 | .50 | |
| 4 in. pot, 1 to 1 ½ ft. C | .40 | .30 | |
| primulinum, PRIMROSE JASMINE | | | |
| 4 in. pot, 3 to 4 ft. C | .40 | .30 | .25 |
| 4 in. pot, 2 to 3 ft. C | .35 | .25 | .20 |
| PANDOREA jasminoides JASMINE PANDOREA | | | |
| More commonly known as Tecoma jasminoides. | | | |
| 4 in. pot, 1 ½ to 2 ft. C | .40 | .30 | .25 |
| 4 in. pot, 1 to 1 ½ ft. C | .35 | .25 | .20 |
| SOLANUM jasminoides JASMINE NIGHTSHADE | | | |
| 4 in. pot, 2 to 3 ft. C | .35 | .25 | |
| SOLLYA heterophylla AUSTRALIAN BLUEBELL CREEPER | | | |
| 4 in. pot, 1 ½ to 2 ft. C | .40 | .30 | |
| 2 ½ in. pot, 1 ½ to 2 ft. S | .25 | .20 | .15 |
| WISTERIA —All stock offered below is bench grafted and grown in open ground, not staked, to the age specified. Most of them will start blooming at once. "Bare roots" unless otherwise stated. | | | |
| floribunda violacea plena DOUBLE VIOLET JAPANESE WISTERIA | | | |
| 3 year G | 2.25 | 1.75 | |
| 2 year G | 2.00 | 1.50 | 1.25 |
| multijuga, LONGCLUSTER WISTERIA | | | |
| 3 year G | 2.00 | 1.50 | |
| multijuga alba WHITE WEEPING WISTERIA | | | |
| 3 year G | 2.00 | 1.50 | |
| multijuga longissima | | | |
| A variety of W. multijuga with astonishingly long clusters of light purple flowers. On a well established vine they will run 3 to 4 ft. in length. The original old vine frequently has them 4 to 5 ft. and very rarely they have actually attained 6 ft. | | | |
| 4 year G | 2.50 | 2.00 | |
| 3 year G | 2.25 | 1.75 | |
| multijuga rosea PINK JAPANESE WISTERIA | | | |
| 3 year G | 2.25 | 1.75 | 1.50 |
| 2 year G | 2.00 | 1.50 | 1.25 |
| sinensis (blue), CHINESE WISTERIA | | | |
| 4 year G | 2.25 | 1.75 | |
| 5 gal. can, 3 year G | 2.00 | 1.50 | |
| 5 in. pot, 1 to 2 ft. G | 1.00 | .75 | |

WISTERIA (Continued)

| | each rate | 10 rate | 100 rate |
|--|--------------|------------|-------------|
| venusta, SILKY WISTERIA | | | |
| Bears a profuse crop of large white flowers in short compact clusters. Very precocious, often blooms one year from graft. | | | |
| 4 year G | 2.25 | 1.75 | |
| Mrs. McCullagh | | | |
| A scarce and very beautiful variety. Short jointed and of rather slow growth. Flowers large in compact clusters of medium size. Color rich mauve purple. | | | |
| 3 year G..... | 2.25 | 1.75 | |
| 2 year G..... | 2.00 | 1.50 | |

STANDARD WISTERIAS

Offered this season for the first time. They are about the size of a good Standard Rose but with 4 ft. stems. Heads sufficiently developed to make a good showing. As they are quite a novelty we believe they will sell well.

| | | | |
|----------------------------|------|------|--|
| Assorted varieties G | 2.50 | 2.00 | |
| W. multijuga. | | | |
| W. multijuga alba | | | |
| W. multijuga longissima. | | | |
| W. multijuga rosea (pink) | | | |
| W. Mrs. McCullagh. | | | |
| Extra heavy plants G | 3.00 | 2.50 | |
| W. multijuga | | | |

Miscellaneous**CORDYLINE (Dracaena)**

| | | | |
|-----------------------------------|------|------|------|
| balled, 2 to 3 ft. S | 1.75 | 1.25 | 1.00 |
| 4 in. pot, 1 to 1 1/2 ft. S | .40 | .30 | .25 |

HESPEROYUCCA whipplei**CHAPARRAL YUCCA****CALIFORNIA YUCCA**

This is our native Yucca whose enormous flower spikes lend so much beauty to the foothill region of Southern California. Is not long coming into bloom. Flower spikes often 10 or 12 ft. tall with hundreds of flowers.

| | | | |
|---------------------------|-----|-----|-----|
| 4 in. pot, 3 year S | .50 | .35 | .30 |
| 4 in. pot, 2 year S | .40 | .30 | .25 |

PEONIES, assorted varieties

| | | | |
|------------|-----|-----|--|
| roots..... | .35 | .25 | |
|------------|-----|-----|--|

PHOENIX canariensis, CANARY DATE PALM

| | | | |
|--------------------------------|------|------|--|
| balled, 2 to 3 ft. S | 2.00 | 1.50 | |
| balled, 1 1/2 to 2 ft. S | 1.50 | 1.25 | |

REDWOOD BURLS—We can always supply these in any desired quantity. Price fluctuates according to season and expense of gathering. If interested write us about how many you can use, size desired and we will quote definitely.

WOODWARDIA radicans

We can supply collected roots for shipment from Santa Cruz Mountains direct to customers at \$7.50 per 100. No shipment of less than 50.

Roses**BUSH AND STANDARD**

We grow both bush and standards extensively and specialize on the best of recent sorts. As this list goes to press we are digging and do not want to issue new list until that job is completed and we know just what is unsold.

Revised list corrected down to date will be issued in early December. If you are interested write us for a copy. For descriptions of all varieties offered see our List No. 3014 which will be sent on request.

SEE NEXT PAGE FOR SUPPLIES

Supplies

MOSS—We offer only Oregon Tree Moss in bales of about 50 lbs. These bales are made up entirely of selected sheets suitable for florists' use, lining hanging baskets, etc. It is bone dry so you are not buying water. Very different from the general run offered. Prices f.o.b. San Jose:

1 bale \$5.00
5 bales at 4.50
10 bales at 4.25

PAPER POTS—We are agents for Bird & Son's famous Neponset Red Paper Pots, the same kind we use in our own packing and shipping. Prices quoted are for the pots at factory in Mass. They can be shipped economically to any Pacific Coast point via Panama Canal. All orders must be for not less than a case of any size.

| Size | Quantity per case | Weight per case | Price per 1000 |
|---------|----------------------|--------------------|-------------------|
| 2 ¼ in. | 1000 | 12 lbs. | \$ 3.40 |
| 2 ½ in. | 1000 | 16 lbs. | 3.90 |
| 3 in. | 1000 | 24 lbs. | 5.30 |
| 3 ½ in. | 1000 | 34 lbs. | 6.90 |
| 4 in. | 500 | 23 lbs. | 8.60 |
| 5 in. | 500 | 37 lbs. | 13.40 |
| 6 in. | 500 | 51 lbs. | 17.90 |